5126 EML4 (D7Y8F) XP[®] Rabbit mAb



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP, IF-IC	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 120	Source/Isotype: Rabbit IgG	UniProt ID: #Q9HC35	Entrez-Gene Id: 27436		
Product Usage Information	2	Application Western Blotting Immunoprecipitation Immunofluorescence	(Immunocytochem	istry)		Dilution 1:1000 1:100 1:200		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.						
Specificity/Sen	sitivity	EML4 (D7Y8F) $XP^{ ext{B}}$ Rabbit mAb recognizes endogenous levels of total EML4 protein.						
Source / Purifi	cation	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ser188 of human EML4 protein.						
Background		Echinoderm microtubule-associated protein-like 4 (EML4) is a 120 kDa microtubule-associated WD- repeat protein of the echinoderm microtubule-associated protein family (1). The expression of EML4 is necessary for correct intracellular microtubule network formation (2). EML4 protein expression is upregulated during mitosis and downregulated during the remaining cell cycle (1). During mitosis, EML4 is heavily phosphorylated and is associated with the mitotic spindle (2). The amino-terminal segment of EML4 is essential for microtubule association and function.						
Background R	eferences	1. Heidebrecht, H.J. et al. (2000) <i>Genomics</i> 68, 348-350. 2. Pollmann, M. et al. (2006) <i>Exp. Cell Res.</i> 312, 3241-3251.						
Species Reacti	vity	Species reactivity is determined by testing in at least one approved application (e.g., western blot).						
Western Blot E	Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications K	ey	W: Western Blotting IP: Immunoprecipitation IF-IC: Immunofluorescence (Immunocytochemistry)						
Cross-Reactivi	ty Key	H: Human M: Mouse R: Rat Mk: Monkey						
Trademarks ar	nd Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.						
		SignalSilence is a registered trademark of Cell Signaling Technology, Inc.						
		XP is a registered trademark of Cell Signaling Technology, Inc.						
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.						
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of the following terms apply to Products provided by CST, its affiliates or its distributors. Any Custon terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are force or effect.						
		approved, cleared, or purpose. Customer sh any manner that confl Customer as the end-u	licensed by the FDA all not use any Pro- icts with its labeling user and solely for i	se Only or a similar labe or other regulatory for duct for any diagnostic o statement. Products so research and developme urposes, or any purchaso	eign or domestic en or therapeutic purp old or licensed by C ent uses. Any use o	ntity, for any lose, or otherwise in ST are provided for f Product for		

component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.