

FABP3 (A7) Mouse mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	Reactivity: H	Sensitivity: Endogenous	MW (kDa): 14	Source/Isotype: Mouse IgG1	UniProt ID: #P05413	Entrez-Gene Id: 2170
Product Usage Information		Application Western Blotting Immunoprecipitation		Dilution 1:1000 1:100		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		FABP3 (A7) Mouse mAb recognizes endogenous levels of total FABP3 protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with recombinant protein specific to the amino terminus of human FABP3 protein.				
Background		Fatty acid binding proteins (FABPs) are cytoplasmic lipid chaperones that bind fatty acids and lipids for transport to various cellular components (1,2). Research studies demonstrate differential FABP expression in several types of tumors and their normal-cell counterparts (3). Fatty acid binding protein 3 (FABP3) is predominantly expressed in heart, skeletal muscle, brain, and mammary gland (4). FABP3 may play a role in supplying energy to the heart and other tissues (5). The release of FABP3 from the heart upon infarction is used as a serum marker for myocardial stress and cardiotoxicity (6). Additional studies suggest that FABP3 is a potential tumor suppressor in breast cancer (7).				
Background References		 Storch, J. and Thumser, A.E. (2010) J Biol Chem 285, 32679-83. Haunerland, N.H. and Spener, F. (2004) Prog Lipid Res 43, 328-49. Khan, S.H. and Sorof, S. (1994) Proc Natl Acad Sci U S A 91, 848-52. Heuckeroth, R.O. et al. (1987) J Biol Chem 262, 9709-17. Binas, B. et al. (1999) FASEB J 13, 805-12. Lippi, G. et al. (2013) Clin Biochem 46, 26-30. Nevo, J. et al. (2010) Oncogene 29, 6452-63. 				

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting **IP:** Immunoprecipitation

Cross-Reactivity Key

H: Human

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for

diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.