

SIX1 (D5S2S) Rabbit mAb

Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
W, IP, IHC-P, IF-IC	H M R Mk	Endogenous	36	Rabbit IgG	#Q15475	6495

Product Usage Information**Application**

Western Blotting
Immunoprecipitation
Immunohistochemistry (Paraffin)
Immunofluorescence (Immunocytochemistry)

Dilution

1:1000
1:50
1:100
1:400

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

For a carrier free (BSA and azide free) version of this product see product #73583.

Specificity/Sensitivity

SIX1 (D5S2S) Rabbit mAb recognizes endogenous levels of total SIX1 protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Asp269 of human SIX1 protein.

Background

Sine oculis homeobox (SIX) proteins belong to a family of evolutionarily conserved transcription factors discovered in *Drosophila* mutant screens for embryonic eye development genes (1-3). The prototypical family member (*sine oculis*, *so*) was named for eyeless embryos carrying mutations in a gene highly conserved among vertebrates, including humans (*SIX1*) (4). A total of six family members (SIX1-6) have been identified in vertebrates. Each SIX protein contains a homeobox nucleic acid recognition domain (HD) with a DNA-binding helix-turn-helix motif and an adjacent SIX domain, which may be involved in regulating protein-protein interactions (5). In addition to their critical functions during embryonic organogenesis, research studies suggest that SIX proteins play additional roles in postnatal cell cycle regulation, with potentially important implications in tumorigenesis (6,7). In contrast to the *Drosophila* ortholog, the vertebrate *SIX1* gene product does not play a critical role in embryonic eye development. Vertebrate SIX1 is required for development of mesoderm- and neural crest-derived lineages, and male reproductive tissues (8-10). SIX1 has also been shown to regulate transcription of MyoD in adult muscle progenitor cells during postnatal muscle development (11). A mechanistic role for SIX1 in cell cycle regulation is supported by research studies showing increased SIX1 expression in various cancer subtypes, including breast, ovarian, and hepatocellular carcinoma (6,12,13).

Background References

1. Kumar, J.P. (2009) *Cell Mol Life Sci* 66, 565-83.
2. Fischbach, K.F. and Technau, G. (1984) *Dev Biol* 104, 219-39.
3. Fischbach, K.F. and Heisenberg, M. (1981) *Proc Natl Acad Sci U S A* 78, 1105-9.
4. Boucher, C.A. et al. (1996) *Genomics* 33, 140-2.
5. Pignoni, F. et al. (1997) *Cell* 91, 881-91.
6. Ford, H.L. et al. (1998) *Proc Natl Acad Sci U S A* 95, 12608-13.
7. Coletta, R.D. et al. (2004) *Proc Natl Acad Sci U S A* 101, 6478-83.
8. Oliver, G. et al. (1995) *Development* 121, 4045-55.
9. Kaiser, R. et al. (2007) *Am J Med Genet A* 143A, 2185-8.
10. Fujimoto, Y. et al. (2013) *Dev Cell* 26, 416-30.
11. Liu, Y. et al. (2013) *PLoS One* 8, e67762.
12. Behbakht, K. et al. (2007) *Cancer Res* 67, 3036-42.
13. Ng, K.T. et al. (2006) *Br J Cancer* 95, 1050-5.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting **IP:** Immunoprecipitation **IHC-P:** Immunohistochemistry (Paraffin) **IF-IC:** Immunofluorescence (Immunocytochemistry)

Cross-Reactivity Key

H: Human **M:** Mouse **R:** Rat **Mk:** Monkey

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

SignalStain is a registered trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.