10131							
e at -20C	Src (32G6) Rabbit mAb	Ce T E	Cell Signaling				
Store		Orders:	877-616-CELL (2355) orders@cellsignal.com				
\sim		Support:	877-678-TECH (8324)				
#2123		Web:	info@cellsignal.com cellsignal.com				
#2		3 Trask Lane Danvers Massa	chusetts 01923 USA				

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 60	Source/Isotype: Rabbit IgG	UniProt ID: #P12931	Entrez-Gene Ic 6714		
Product Usage Information		Application Western Blotting Immunoprecipitation			Dilution 1:1000 1:50			
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.						
Specificity/Sensitivity		Src (32G6) Rabbit mAb detects endogenous levels of total Src proteins. The antibody does not cross- react with other proteins.						
Species predicted to react based on 100% sequence homology		Chicken						
Source / Purification		Monoclonal antibody is produced by immunizing animals with a recombinant fusion protein corresponding to residues 1-110 of human Src protein.						
Background		The Src family of protein tyrosine kinases, which includes Src, Lyn, Fyn, Yes, Lck, Blk, and Hck, are important in the regulation of growth and differentiation of eukaryotic cells (1). Src activity is regulated by tyrosine phosphorylation at two sites, but with opposing effects. While phosphorylation at Tyr416 in the activation loop of the kinase domain upregulates enzyme activity, phosphorylation at Tyr530 in the carboxy-terminal tail by Csk renders the enzyme less active (2).						
Background Re	eferences	1. Thomas, S.M. and Br 2. Hunter, T. (1987) <i>Cel</i> i		nnu Rev Cell Dev Biol 13	, 513-609.			
Species Reactiv	vity	Species reactivity is de	termined by testin	g in at least one approve	ed application (e.g.,	western blot).		
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications Key		W: Western Blotting IP: Immunoprecipitation						
Cross-Reactivity Key		H: Human M: Mouse R: Rat Mk: Monkey						
Trademarks ar	nd Patents	Cell Signaling Technolo	ogy is a trademark	of Cell Signaling Techno	logy, Inc.			
		All other trademarks a more information.	re the property of	heir respective owners.	Visit cellsignal.com	ı/trademarks for		
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.						
		approved, cleared, or l purpose. Customer sha any manner that confli Customer as the end-u diagnostic, prophylacti	icensed by the FDA all not use any Pro cts with its labelin iser and solely for c or therapeutic pu	se Only or a similar labe or other regulatory for duct for any diagnostic o g statement. Products so research and developme urposes, or any purchas e, requires a separate lio	eign or domestic er or therapeutic purp old or licensed by C ent uses. Any use o e of Product for res	ntity, for any ose, or otherwise i ST are provided for f Product for ale (alone or as a		

sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.