USP28 Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W	Reactivity: H M	Sensitivity: Transfected Only	MW (kDa): 135	Source/Isotype: Rabbit	UniProt ID: #Q96RU2	Entrez-Gene Id: 57646
Product Usage Information		Application Western Blotting			Dilution 1:1000	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		USP28 Antibody detects transfected levels of USP28 protein.				
Source / Purification		Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ala11 of human USP28. Antibodies are purified by peptide affinity chromatography.				
Background		Ubiquitinating enzymes (UBEs) catalyze protein ubiquitination, a reversible process countered by deubiquitinating enzymes (DUB) action (1,2). There are five DUB subfamilies including the USP, UCH, OTU, MJD and JAMM enzymes. USP28 is an important member of the USP subfamily (3). USP28 can bind to and deubiquinate several target proteins in DNA-damage pathway, resulting in their stability, including p53BP1 and Chk2 (4). USP28 also plays an important role in Myc related signaling by binding through FBW7α to Myc . It catalyzes the deubiquitinylation of Myc, thereby promoting its stabilization and contributing to tumor-cell growth (5).				
Background References		 Nijman, S.M. et al. (2005) Cell 123, 773-86. Nalepa, G. et al. (2006) Nat Rev Drug Discov 5, 596-613. Valero, R. et al. (2001) Genome Biol 2, RESEARCH0043. Zhang, D. et al. (2006) Cell 126, 529-42. Popov, N. et al. (2007) Nat Cell Biol 9, 765-74. 				
Species Reactivity		Species reactivity is determined by testing in at least one approved application (e.g., western blot).				
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				
Applications Key		W: Western Blotting				
Cross-Reactivity Key		H: Human M: Mouse				
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.				
		All other trademarks a more information.	ire the property of	their respective owners.	Visit cellsignal.com	/trademarks for
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.				
		approved, cleared, or purpose. Customer sh	licensed by the FDA all not use any Pro	Ise Only or a similar labe A or other regulatory for duct for any diagnostic o g statement. Products so	eign or domestic er or therapeutic purp	ntity, for any ose, or otherwise in

Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not

sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.