

MIB1 Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity: Endogenous	MW (kDa): 110	Source/Isotype: Rabbit	UniProt ID: #Q86YT6	Entrez-Gene Id: 57534
Product Usage Information		ApplicationDilutionWestern Blotting1:1000				
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		MIB1 Antibody detects endogenous levels of total MIB1 protein. This antibody does not recognize the Ki-67 (MK167) protein.				
Source / Purification		Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues near the amino terminus of human MIB1 protein. Antibodies were purified by protein A and peptide affinity chromatography.				
Background		Mindbomb homolog 1 (MIB1) is an E3 ligase that facilitates the ubiquitination and the subsequent endocytosis of the Notch ligands, Delta and Jagged (1,2). MIB1 appears to promote the ubiquitination and degradation of death-associated protein kinase (DAPK1) <i>in vitro</i> (3). Expression of MIB1 is seen in both adult and embryonic murine tissues (4). Recently, MIB1 was reported to regulate the extrinsic cell death pathway by binding to cellular FLICE-like inhibitory proteins (cFLIP-L and cFLIP-S), which reduces the interaction of caspase-8 with cFLIP and leads to cell death (5). MIB1 is also involved in T and marginal zone B (MZB) cell development in the lymphopoietic niches (6).				
Background References		 Koo, B.K. et al. (2005) Development 132, 3459-70. Matsuda, M. and Chitnis, A.B. (2009) Development 136, 197-206. Zhang, L. et al. (2007) J Biol Chem 282, 11795-804. Jin, Y. et al. (2002) J Biol Chem 277, 46980-6. Zhang, L. and Gallagher, P.J. (2009) Am J Physiol Cell Physiol 297, C1275-83. Song, R. et al. (2008) J Exp Med 205, 2525-36. 				

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting

Cross-Reactivity Key

H: Human

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for

diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.