



**Orders:** 877-616-CELL (2355)  
orders@cellsignal.com

**Support:** 877-678-TECH (8324)

**Web:** info@cellsignal.com  
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

# ARK5 Antibody

Store at -20C  
#4458

**For Research Use Only. Not for Use in Diagnostic Procedures.**

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
W	H M R Mk	Endogenous	78	Rabbit	#O60285	9891

## Product Usage Information

### Application

Western Blotting

### Dilution

1:1000

## Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA and 50% glycerol. Store at -20°C. Do not aliquot the antibody.

## Specificity/Sensitivity

ARK5 Antibody detects endogenous levels of total ARK5 protein.

## Species predicted to react based on 100% sequence homology

Bovine

## Source / Purification

Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Lys403 of human ARK5 protein. Antibodies are purified by protein A and peptide affinity chromatography.

## Background

AMP-activated protein kinases (AMPKs) constitute a serine/threonine protein kinase family, which is highly conserved from yeast to plants and animals and plays a key role in the regulation of energy homeostasis (1). AMPK $\alpha$ 1, AMPK $\alpha$ 2, MELK, and SNARK are the catalytic subunits in the family (2). Recently, AMPK-related protein kinase ARK5 was identified, which shares 84% similarity with the sequence of the catalytic domain of SNARK (2). *In vitro*, Akt phosphorylates ARK5 at Ser600. This phosphorylation activates ARK5, resulting in increased phosphorylation of the SAMS peptide, an AMPK consensus substrate (2). *In vivo* experiments showed that Akt-activated ARK5 is critical for the survival of cells under glucose starvation (2). Furthermore, studies also linked ARK5 to tumor invasion (3,4). Overexpressed ARK5 leads to a higher tumor growth rate (3). For example, the overexpression of ARK5 in pancreatic tumor cell line PANC-1 significantly elevates its metastasis in the liver (4).

## Background References

1. Hardie, D.G. (2004) *J. Cell Sci.* 117, 5479-87.
2. Suzuki, A. et al. (2003) *J. Biol. Chem.* 278, 48-53.
3. Suzuki, A. et al. (2004) *Mol. Cell Biol.* 24, 3526-35.
4. Kusakai, G. et al. (2004) *J. Exp. Clin. Cancer Res.* 23, 263-8.

## Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

## Western Blot Buffer

**IMPORTANT:** For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween@ 20 at 4°C with gentle shaking, overnight.

## Applications Key

**W:** Western Blotting

## Cross-Reactivity Key

**H:** Human **M:** Mouse **R:** Rat **Mk:** Monkey

## Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information.

## Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.