## TNFRSF17/BCMA (E6D7B) Rabbit mAb (PE Conjugate)



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: FC-FP	Reactivity:	<b>Sensitivity:</b> Endogenous	<b>Source/Isotype:</b> Rabbit IgG	<b>UniProt ID:</b> #Q02223	Entrez-Gene Id: 608
Product Usage		Application		, and a	Dilution
Information		Flow Cytometry (Fixed/P	ermeabilized)		1:50
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity		TNFRSF17/BCMA (E6D7B) Rabbit mAb (PE Conjugate) recognizes endogenous levels of total TNFRSF17/BCMA protein. This antibody displays some non-specific staining of peripheral and CNS tissue when used for IHC-P.			
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Leu115 of human TNFRSF17/BCMA protein.			
Description		This Cell Signaling Technology antibody is conjugated to phycoerythrin (PE) and tested in-house for direct flow cytometric analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated TNFRSF17/BCMA (E6D7B) Rabbit mAb #88183.			
Background		B cell maturation antigen (BCMA/TNFRSF17/CD269) is a transmembrane glycoprotein and member of the TNFR superfamily (1). BCMA expression is largely restricted to the B cell lineage. Pro-survival signaling through this receptor plays a pivotal role in humoral immunity by regulating B cell maturation and plasma cell differentiation upon binding its ligands, BAFF and APRIL (2-6). BCMA is expressed in a number of B cell malignancies and has garnered much attention as a novel therapeutic target for the treatment of multiple myeloma due to its selective and elevated expression on the cell surface of malignant plasma cells (7-10).			
Background References		1. Madry, C. et al. (1998) <i>Int Immunol</i> 10, 1693-702. 2. Chiu, A. et al. (2007) <i>Blood</i> 109, 729-39. 3. Avery, D.T. et al. (2003) <i>J Clin Invest</i> 112, 286-97. 4. O'Connor, B.P. et al. (2004) <i>J Exp Med</i> 199, 91-8. 5. Darce, J.R. et al. (2007) <i>J Immunol</i> 178, 5612-22. 6. Xu, S. and Lam, K.P. (2001) <i>Mol Cell Biol</i> 21, 4067-74. 7. Carpenter, R.O. et al. (2013) <i>Clin Cancer Res</i> 19, 2048-60. 8. Tai, Y.T. et al. (2006) <i>Cancer Res</i> 66, 6675-82. 9. Moreaux, J. et al. (2004) <i>Blood</i> 103, 3148-57. 10. Tai, Y.T. et al. (2014) <i>Blood</i> 123, 3128-38.			

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Applications Key** FC-FP: Flow Cytometry (Fixed/Permeabilized)

Cross-Reactivity Key H: Human

Trademarks and Patents Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no

force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.