710 Store at -20C

#

TRAF1 (1F3) Rat mAb



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP, IHC-P, IF-IC	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 50	Source/Isotype: Rat IgG2a	UniProt ID: #Q13077	Entrez-Gene Id: 7185		
Product Usage Information		Application Western Blotting Immunoprecipitation Immunohistochemist Immunofluorescence		istry)		Dilution 1:1000 1:100 1:25 1:100		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.						
Specificity/Sen	sitivity	TRAF1 (1F3) Rat mAb detects endogenous levels of total TRAF1 protein.						
Source / Purific	ation	Monoclonal antibody is produced by immunizing animals with a TRAF1-GST fusion protein and purified by protein G affinity chromatography.						
Background		TRAFs (TNF receptor-associated factors) are a family of multifunctional adaptor proteins that bind to surface receptors and recruit additional proteins to form multiprotein signaling complexes capable of promoting cellular responses (1-3). Members of the TRAF family share a common carboxy-terminal "TRAF domain", which mediates interactions with associated proteins; many also contain amino- terminal Zinc/RING finger motifs. The first TRAFs identified, TRAF1 and TRAF2, were found by virtue of their interactions with the cytoplasmic domain of TNF-receptor 2 (TNFRII) (4). The six known TRAFs (TRAF1-6) act as adaptor proteins for a wide range of cell surface receptors and participate in the regulation of cell survival, proliferation, differentiation, and stress responses.						
Background Re	ferences	1. Arch, R.H. et al. (199 2. Chung, J.Y. et al. (20 3. Bradley, J.R. and Pol 4. Rothe, M. et al. (199	02) <i>J Cell Sci</i> 115, 67 ber, J.S. (2001) <i>Onco</i>	79-88.				
Species Reactiv	vity	Species reactivity is determined by testing in at least one approved application (e.g., western blot).						
Western Blot B	uffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications Ke	≥y	W: Western Blotting IP: Immunoprecipitation IHC-P: Immunohistochemistry (Paraffin) IF-IC: Immunofluorescence (Immunocytochemistry)						
Cross-Reactivit	у Кеу	H: Human M: Mouse R: Rat						
Trademarks an	d Patents	Cell Signaling Technol	ogy is a trademark	of Cell Signaling Techno	logy, Inc.			
		All other trademarks a more information.	are the property of	their respective owners.	Visit cellsignal.com	/trademarks for		
Limited Uses		the following terms an terms and conditions separately accepted ir force or effect. Products are labeled v	oply to Products pro that are in addition writing by a legall vith For Research U	a writing signed by a leg ovided by CST, its affiliate to, or different from, th y authorized representat se Only or a similar labe	es or its distributors ose contained here tive of CST, are reje ling statement and	s. Any Customer's in, unless cted and are of no have not been		
		purpose. Customer sh	all not use any Pro	duct for any diagnostic o	or therapeutic purp	ose, or otherwise in		

any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products on services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.