## EpCAM (VU1D9) Mouse mAb (Alexa Fluor<sup>®</sup> 647 Conjugate)



Orders:	877-616-CELL (235 orders@cellsignal.co		
Support:	877-678-TECH (8324)		
Web:	info@cellsignal.com cellsignal.com		

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:Reactivity:IF-IC, FC-FP, FC-LH	<b>Sensitivity:</b> Endogenous	Source/Isotype: Mouse IgG1	<b>UniProt ID:</b> #P16422	Entrez-Gene Id: 4072		
Product Usage Information	ApplicationDilutionImmunofluorescence (Immunocytochemistry)1:200 - 1:800Flow Cytometry (Fixed/Permeabilized)1:50Flow Cytometry (Live)1:50					
Storage	Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.					
Specificity/Sensitivity	EpCAM (VU1D9) Mouse mAb (Alexa Fluor $^{\circledast}$ 647 Conjugate) detects endogenous levels of total EpCAM protein.					
Source / Purification	Monoclonal antibody is produced by immunizing animals with NCI-H69 small cell lung carcinoma cells.					
Description	This Cell Signaling Technology antibody is conjugated to Alexa Fluor <sup>®</sup> 647 fluorescent dye and tested in-house for direct flow cytometry and immunofluorescent analysis in human cells. The antibody is expected to exhibit the same species cross-reactivity as the unconjugated EpCAM (VU1D9) Mouse mAb #2929.					
Background	Epithelial cell adhesion and activating molecule (EpCAM/CD326) is a transmembrane glycoprotein that mediates Ca <sup>2+</sup> -independent, homophilic adhesions on the basolateral surface of most epithelial cells. EpCAM is not expressed in adult squamous epithelium, but it is highly expressed in adeno and squamous cell carcinomas (1). Research studies identified EpCAM as one of the first tumor-associated antigens, and it has long been a marker of epithelial and tumor tissue. Investigators have shown that EpCAM is highly expressed in cancer cells (reviewed in 2,3).					
Background References	1. Went, P.T. et al. (2004) <i>Hum Pathol</i> 35, 122-8. 2. Baeuerle, P.A. and Gires, O. (2007) <i>Br J Cancer</i> 96, 417-23. 3. Armstrong, A. and Eck, S.L. (2003) <i>Cancer Biol Ther</i> 2, 320-6.					
Species Reactivity	Species reactivity is determined by testing in at least one approved application (e.g., western blot).					
Applications Key	<b>IF-IC:</b> Immunofluorescence (Immunocytochemistry) <b>FC-FP:</b> Flow Cytometry (Fixed/Permeabilized) <b>FC-L:</b> Flow Cytometry (Live)					
Cross-Reactivity Key	H: Human					
Trademarks and Patents	Inc.					
	This product is provided under an intellectual property license from Life Technologies Corpo transfer of this product is conditioned on the buyer using the purchased product solely in re conducted by the buyer, excluding contract research or any fee for service research, and the must not (1) use this product or its components for (a) diagnostic, therapeutic or prophylacti purposes; (b) testing, analysis or screening services, or information in return for compensati per-test basis; or (c) manufacturing or quality assurance or quality control, and/or (2) sell or this product or its components for resale, whether or not resold for use in research. For info purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@life					
	All other trademarks are the property of their respective owners. Visit cellsignal.com/tr more information.					
Limited Uses	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's					

terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.