



Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

Store at -20C
#5687

PPP2R5D (H5D12) Mouse mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 66, 69	Source/Isotype: Mouse IgG1	UniProt ID: #Q14738	Entrez-Gene Id: 5528
-------------------------------	--------------------------------	-----------------------------------	----------------------------	--------------------------------------	-------------------------------	--------------------------------

Product Usage Information	Application Western Blotting Immunoprecipitation	Dilution 1:1000 1:50
Storage	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.	
Specificity/Sensitivity	PPP2R5D (H5D12) Rabbit mAb recognizes endogenous levels of total PPP2R5D/PP2A, B'-δ/B56-δ protein. This antibody cross-reacts with PPP2R4 and PPP2R2A protein.	
Source / Purification	Monoclonal antibody is produced by immunizing animals with recombinant protein specific to the amino terminus of human PPP2R5D protein.	
Background	Protein Phosphatase 2A subunit isoform R5-δ (PPP2R5D) belongs to the R5/B'/B56 family of the regulatory subunit B of serine/threonine phosphatase 2A (1). PPP2R5D (B-δ) is structurally related to the other components of subunit B, B-α. PPP2R5D lacks the WD-40 repeats that are important for protein-protein interaction (1-2). Structural differences may contribute to distinct down stream effects (3) and directing PP2A nuclear localization (4). Current evidence suggests that in contrast to B-α, PPP2R5D modulates the TGF-β/Activin/Nodal signaling pathways by restricting the downstream activities of the type I TGF-β receptors, ALK4, and ALK5 (3)	
Background References	<ol style="list-style-type: none"> 1. McCright, B. and Virshup, D.M. (1995) <i>J Biol Chem</i> 270, 26123-8. 2. Neer, E.J. et al. (1994) <i>Nature</i> 371, 297-300. 3. Batut, J. et al. (2008) <i>Development</i> 135, 2927-37. 4. McCright, B. et al. (1996) <i>J Biol Chem</i> 271, 22081-9. 	
Species Reactivity	Species reactivity is determined by testing in at least one approved application (e.g., western blot).	
Western Blot Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.	
Applications Key	W: Western Blotting IP: Immunoprecipitation	
Cross-Reactivity Key	H: Human M: Mouse R: Rat Mk: Monkey	
Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.	
Limited Uses	<p>Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.</p> <p>Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not</p>	

sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.