

**MYST2 (D4N3F) Rabbit mAb**

**Orders:** 877-616-CELL (2355)  
orders@cellsignal.com

**Support:** 877-678-TECH (8324)

**Web:** info@cellsignal.com  
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

**For Research Use Only. Not for Use in Diagnostic Procedures.**

<b>Applications:</b> W, IP, IHC-P, ChIP, ChIP-seq, C&R, C&T	<b>Reactivity:</b> H M R Mk	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 80	<b>Source/Isotype:</b> Rabbit IgG	<b>UniProt ID:</b> #O95251	<b>Entrez-Gene Id:</b> 11143
---	--------------------------------	-----------------------------------	------------------------	--------------------------------------	-------------------------------	---------------------------------

**Product Usage Information**

For optimal ChIP and ChIP-seq results, use 10 µl of antibody and 10 µg of chromatin (approximately 4 x 10<sup>6</sup> cells) per IP. This antibody has been validated using SimpleChIP<sup>®</sup> Enzymatic Chromatin IP Kits.

The CUT&RUN dilution was determined using CUT&RUN Assay Kit #86652.

The CUT&Tag dilution was determined using CUT&Tag Assay Kit #77552.

Application	Dilution
Western Blotting	1:1000
Immunoprecipitation	1:100
Immunohistochemistry (Paraffin)	1:1000
Chromatin IP	1:50
Chromatin IP-seq	1:50
CUT&RUN	1:50
CUT&Tag	1:50

**Storage**

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

**Specificity/Sensitivity**

MYST2 (D4N3F) Rabbit mAb recognizes endogenous levels of total MYST2 protein.

**Source / Purification**

Monoclonal antibody is produced by immunizing animals with recombinant protein surrounding Val222 of human MYST2 protein.

**Background**

MYST2, also known as HBO1 and lysine acetyltransferase 7 (KAT7), is a member of the MYST (MOZ, YBF2, SAS2 and Tip60) family of histone acetyltransferases (HATs). MYST2 is the catalytic subunit of the HBO1 acetyltransferase complex, which consists of MYST2, MYST/ESA1-associated factor 6 (MEAF6), inhibitor of growth protein 4 (ING4) or inhibitor of growth protein 5 (ING5), and one of two families of scaffold proteins (JADE-1/2/3 or BRPF1/2/3) (1,2). The substrate specificity of the HBO1 complex is determined by the associated scaffold protein. HBO1 complexes containing JADE scaffold proteins acetylate histone H4 on lysines 5, 8 and 12, while complexes containing BRPF scaffold proteins acetylate histone H3 on lysines 14 and 23 (2). In addition, the scaffold protein appears to regulate the function of the HBO1 complex. Complexes containing JADE scaffold proteins bind to origin recognition complex 1 (ORC1) and regulate licensing of DNA replication, while HBO1 complexes containing BRPF scaffold proteins regulate transcription (2-5). MYST2 is required for regulation of cell proliferation (1), adipogenesis (6), embryonic development (7) and survival of fetal liver erythroblasts (8). In addition, MYST2 is over-expressed in several human cancers, including cancers of the testis, ovary, breast, stomach, esophagus, and bladder (9). The MYST2 gene is amplified and protein is over-expressed in breast cancers, and over-expression of MYST2 increases anchorage-independent growth of several breast cancer cell lines (10).

**Background References**

- Avvakumov, N. et al. (2012) *Mol Cell Biol* 32, 689-703.
- Lalonde, M.E. et al. (2013) *Genes Dev* 27, 2009-24.
- Iizuka, M. and Stillman, B. (1999) *J Biol Chem* 274, 23027-34.
- Iizuka, M. et al. (2006) *Mol Cell Biol* 26, 1098-108.
- Miotto, B. and Struhl, K. (2010) *Mol Cell* 37, 57-66.
- Johmura, Y. et al. (2008) *J Biol Chem* 283, 2265-74.
- Kueh, A.J. et al. (2011) *Mol Cell Biol* 31, 845-60.
- Mishima, Y. et al. (2011) *Blood* 118, 2443-53.
- Iizuka, M. et al. (2009) *Gene* 436, 108-14.
- Hu, X. et al. (2009) *Mol Cancer Res* 7, 511-22.

**Species Reactivity**

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer**

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween@ 20 at 4°C with gentle shaking, overnight.

**Applications Key**

**W:** Western Blotting **IP:** Immunoprecipitation **IHC-P:** Immunohistochemistry (Paraffin) **ChIP:** Chromatin IP **ChIP-seq:** Chromatin IP-seq **C&R:** CUT&RUN **C&T:** CUT&Tag

**Cross-Reactivity Key**

**H:** Human **M:** Mouse **R:** Rat **Mk:** Monkey

**Trademarks and Patents**

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

SignalStain is a registered trademark of Cell Signaling Technology, Inc.

SimpleChIP is a registered trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information.

**Limited Uses**

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.