

Store at
-20C
#75432**BCL11A (D4E3P) Rabbit mAb**

Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
W, W-S, IP	H M	Endogenous	100-145	Rabbit IgG	#Q9H165	53335

Product Usage Information**Application**

Western Blotting
Simple Western™
Immunoprecipitation

Dilution

1:1000
1:50 - 1:250
1:200

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

Specificity/Sensitivity

BCL11A (D4E3P) Rabbit mAb recognizes endogenous levels of total BCL11A protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Val247 of human BCL11A protein.

Background

BCL11A is a zinc finger-containing transcriptional repressor that is important for normal hematopoiesis (1). Alternative splicing of the BCL11A transcript results in several isoforms of the protein (2). BCL11A is required for the early stages of B lineage commitment and mice lacking BCL11A fail to develop B cells (1). Mice deficient in BCL11A also fail to develop plasmacytoid dendritic cells (3). In addition, BCL11A regulates the switch from fetal to adult hemoglobin by repressing expression of fetal hemoglobin in adult erythroid cells (4). Since expression of fetal hemoglobin can decrease the severity of hemoglobin disorders in adults, BCL11A is a potential therapeutic target for these diseases (4). BCL11A was also recently identified as a component of the mammalian SWI/SNF complex (5). BCL11A is required for morphogenesis and terminal differentiation of dorsal spinal neurons (6).

Background References

1. Liu, P. et al. (2003) *Nat Immunol* 4, 525-32.
2. Liu, H. et al. (2006) *Mol Cancer* 5, 18.
3. Ippolito, G.C. et al. (2014) *Proc Natl Acad Sci U S A* 111, E998-1006.
4. Sankaran, V.G. et al. (2008) *Science* 322, 1839-42.
5. Kadoch, C. et al. (2013) *Nat Genet* 45, 592-601.
6. John, A. et al. (2012) *Development* 139, 1831-41.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting **W-S:** Simple Western™ **IP:** Immunoprecipitation

Cross-Reactivity Key

H: Human **M:** Mouse

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in

any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com
For Research Use Only. Not for Use in Diagnostic Procedures.