AFP (3H8) Mouse mAb (Alexa Fluor® 647 Conjugate)



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: IF-IC, FC-FP	Reactivity: H	Sensitivity: Endogenous	Source/Isotype: Mouse IgG2a	UniProt ID: #P02771	Entrez-Gene Id: 174
Product Usage Information		Application Immunofluorescence (Ir Flow Cytometry (Fixed/P	-		Dilution 1:50 1:50
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity		AFP (3H8) Mouse mAb (Alexa Fluor® 647 Conjugate) recognizes endogenous levels of total AFP protein.			
Source / Purification		Monoclonal antibody is produced by immunizing animals with a recombinant fragment of human AFP.			
Description		This Cell Signaling Technology antibody is conjugated to Alexa Fluor [®] 647 fluorescent dye and tested in-house for direct flow cytometry and immunofluorescent analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated AFP (3H8) Mouse mAb #3903.			
Background		Alpha-fetoprotein (AFP) is a 65 kDa glycoprotein found in the mammalian fetal liver, yolk sac, and GI tract. While AFP expression in adult cells is low, it is aberrantly expressed in adult liver cancer cells (1,2). The tumor suppressor gene p53 and β -catenin are both involved in the regulation of AFP expression. In normal adult cells, p53 binds to the repressor region of the AFP gene, thereby blocking transcription. Mutations in both p53 and β -catenin are associated with aberrant expression of AFP. Research studies have shown that elevated serum AFP levels are predictive of hepatocellular carcinoma (3).			
Background References		1. Meier, V. et al. (2006) <i>Comp Hepatol</i> 5, 2. 2. Warnes, T.W. and Smith, A. (1987) <i>Baillieres Clin Gastroenterol</i> 1, 63-89. 3. Peng, S.Y. et al. (2004) <i>Int J Cancer</i> 112, 44-50.			
Species Reactivity		Species reactivity is determined by testing in at least one approved application (e.g., western blot).			
Applications Key		IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized)			
Cross-Reactivity Key		H: Human			
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.			
		transfer of this product conducted by the buyer, must not (1) use this propurposes; (b) testing, an per-test basis; or (c) mar this product or its comp purchasing a license to 1 Technologies Corporation	s conditioned on the buy excluding contract resear duct or its components for alysis or screening servicing facturing or quality assonents for resale, whether his product for purposes in, 5791 Van Allen Way, Candidate in the busy of the screen control of of the screen cont	er using the purchase rch or any fee for ser- or (a) diagnostic, ther es, or information in urance or quality con r or not resold for us other than as describ arlsbad, CA 92008 US	return for compensation on a trol, and/or (2) sell or transfer e in research. For information on oed above, contact Life A or outlicensing@lifetech.com.
		All other trademarks are more information.	tne property of their res	pective owners. Visit	cellsignal.com/trademarks for
Limited Uses					uthorized representative of CST,

force or effect.

the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.