## 3785

## Nanog (D1G10) Rabbit mAb (ChIP Formulated)



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> IP, ChIP, ChIP-seq, C&R	Reactivity: M	<b>Sensitivity:</b> Endogenous	Source/Isotype: Rabbit IgG	UniProt ID: #Q80Z64	Entrez-Gene Id: 71950
Product Usage Information		For optimal ChIP and ChIP-seq results, use 5 $\mu$ l of antibody and 10 $\mu$ g of chromatin (approximately 4 x 10 <sup>6</sup> cells) per IP. This antibody has been validated using SimpleChIP <sup>®</sup> Enzymatic Chromatin IP Kits.			
		The CUT&RUN dilution was determined using CUT&RUN Assay Kit #86652.			
		Application	3	,	Dilution
		Immunoprecipitation			1:100
		Chromatin IP			1:100
		Chromatin IP-seq			1:100
		CUT&RUN			1:100
Storage		Supplied in 10 mM sodiu 0.02% sodium azide. Sto			SSA, 50% glycerol and less than
<b>Specificity/Sensitivity</b> Nanog (D1G10) Rabbit mAb (ChIP Formulated) immunoprecipitates endogenous levels nanog protein. This antibody does not cross-react with human nanog protein.					
Source / Purification	n	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues near the amino terminus of mouse nanog protein.			
Background		Nanog is a homeodomain-containing transcription factor that is essential for the maintenance of pluripotency and self renewal in embryonic stem cells (1). Nanog expression is controlled by a network of factors including Sox2 and the key pluripotency regulator Oct-4 (1). Recent advances in somatic cell reprogramming have utilized viral expression of combinations of transcription factors including nanog, Oct-4, Sox2, KLF4, c-Myc, and LIN28 (2,3).			
Background Refere	nces	1. Kim, J. et al. (2008) <i>Cell</i> 132, 1049-61. 2. Takahashi, K. et al. (2007) <i>Nat Protoc</i> 2, 3081-9. 3. Yu, J. et al. (2007) <i>Science</i> 318, 1917-20.			
Species Reactivity		Species reactivity is dete	rmined by testing in at le	ast one approved ap	plication (e.g., western blot).

species Reactivity

species reactivity is determined by testing in at least one approved application (e.g., western blot)

**Applications Key** 

IP: Immunoprecipitation ChIP: Chromatin IP ChIP-seq: Chromatin IP-seq C&R: CUT&RUN

**Cross-Reactivity Key** 

M: Mouse

**Trademarks and Patents** 

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a

component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com

For Research Use Only. Not for Use in Diagnostic Procedures.