

## Phospho-Survivin (Thr34) (D2E11) Rabbit



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> W, IP	Reactivity: H	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 16-18	<b>Source/Isotype:</b> Rabbit IgG	<b>UniProt ID:</b> #O15392	Entrez-Gene Id: 332
Product Usage Information		<b>Application</b> Western Blotting Immunoprecipitation			<b>Dilution</b> 1:1000 1:50	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		Phospho-Survivin (Thr34) (D2E11) Rabbit mAb recognizes endogenous levels of survivin protein only when phosphorylated at Thr34.				
Species predict based on 100% homology		Monkey				
Source / Purific	ation	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Thr34 of human survivin protein.				
Background		Survivin is a 16 kDa anti-apoptotic protein highly expressed during fetal development and cancer cell malignancy (1). Survivin binds and inhibits caspase-3, controlling the checkpoint in the G2/M-phase of the cell cycle by inhibiting apoptosis and promoting cell division (2,3). This regulatory process requires the phosphorylation of survivin at Thr34 by p34 cdc2 kinase (4). Gene targeting using a Thr34 phosphorylation-defective survivin mutant, as well as antisense survivin, have been shown to inhibit tumor growth (5,6).				
Background References		<ol> <li>Reed, J.C. and Reed, S.I. (1999) Nature Cell Biol. 1, 199-200.</li> <li>Li, F. et al. (1998) Nature 396, 580-584.</li> <li>Li, F. et al. (1999) Nat. Cell Biol. 1, 461-466.</li> <li>O'Connor, D.S. et al. (2000) Proc. Natl. Acad. Sci. USA 97, 13103-13107.</li> <li>Olie, R.A. et al. (2000) Cancer Res. 60, 2805-2809.</li> <li>Grossman, D. et al. (2001) Proc. Natl. Acad. Sci. USA 98, 635-640.</li> </ol>				
Species Reactiv	ity	Species reactivity is do	tarminad by tastin	g in at least one approve	and application (o.g.	western blot

**Species Reactivity** Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X

TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key W: Western Blotting IP: Immunoprecipitation

Cross-Reactivity Key H: Human

**Trademarks and Patents** Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

**Limited Uses** Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST,

the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any

purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.