## Maspin (L250) Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

| Applications:<br>W                              | Reactivity:<br>H | <b>Sensitivity:</b><br>Endogenous   | <b>MW (kDa):</b><br>40 | Source/Isotype:<br>Rabbit | UniProt ID:<br>#P36952    | Entrez-Gene Id:<br>5268 |
|---|------------------|---|------------------------|---------------------------|---------------------------|-------------------------|
| Product Usage<br>Information                    |                  | <b>Application</b> Western Blotting   |                        |                           | <b>Dilution</b><br>1:1000 |                         |
| Storage   |                  | Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.  |                        |                           |                           |                         |
| Specificity/Sensitivity                         |                  | Maspin (Q260) Antibody detects endogenous levels of total maspin protein.   |                        |                           |                           |                         |
| Species predicte<br>based on 100% s<br>homology |                  | Monkey  |                        |                           |                           |                         |
| Source / Purification                           |                  | Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Leu250 of human maspin. Antibodies were purified by peptide affinity chromatography.  |                        |                           |                           |                         |
| Background                                      |                  | Maspin (SERPINB5) was discovered as a mammary tumor suppressor that is expressed in normal mammary epithelium but lost in most breast cancer cell lines (1). While maspin is related to the serpin family of serine protease inhibitors, it may not function as a protease inhibitor (2). It plays an essential role in embryonic development through critical roles in cell adhesion (3). While the precise mechanism of maspin signaling is unclear (4), the tumor suppressing activity of maspin has been attributed to its ability to inhibit cell invasion/metastasis (5,6) and angiogenesis (7), while promoting apoptosis (8). Nuclear translocation of active IKKα has been shown to repress maspin transcription and promote prostate cancer metastasis (9). |                        |                           |                           |                         |
| Background Ref                                  | erences          | 1. Zou, Z. et al. (1994) <i>Science</i> 263, 526-9. 2. Pemberton, P.A. et al. (1995) <i>J Biol Chem</i> 270, 15832-7. 3. Gao, F. et al. (2004) <i>Development</i> 131, 1479-89. 4. Bailey, C.M. et al. (2006) <i>J Cell Physiol</i> 209, 617-24. 5. Sheng, S. et al. (1996) <i>Proc Natl Acad Sci USA</i> 93, 11669-74. 6. Seftor, R.E. et al. (1998) <i>Cancer Res</i> 58, 5681-5. 7. Zhang, M. et al. (2000) <i>Nat Med</i> 6, 196-9. 8. Jiang, N. et al. (2002) <i>Oncogene</i> 21, 4089-98. 9. Luo, J.L. et al. (2007) <i>Nature</i> 446, 690-4.  |                        |                           |                           |                         |
| Species Reactivi                                | tv               | Species reactivity is d   | etermined by testin    | g in at least one approve | ad application (e.g.      | western blot)           |

**Applications Key** 

**Western Blot Buffer** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

W: Western Blotting

**Cross-Reactivity Key** 

H: Human

**Trademarks and Patents** 

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.