Store at +4C

96421

## Phospho-IRF-3 (Ser386) (E7J8G) XP<sup>®</sup> Rabbit mAb (Alexa Fluor<sup>®</sup> 647 Conjugate)



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: FC-FP	Reactivity: H	<b>Sensitivity:</b> Endogenous	<b>Source/Isotype:</b> Rabbit IgG	<b>UniProt ID:</b> #Q14653	Entrez-Gene Id: 3661	
Product Usage Information		<b>Application</b> Flow Cytometry (Fixed/Permeabilized)			Dilution 1:50	
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.				
Specificity/Sensi	tivity	Phospho-IRF-3 (Ser386) (E7J8G) XP <sup>®</sup> Rabbit mAb (Alexa Fluor <sup>®</sup> 647 Conjugate) recognizes endogenous levels of IRF-3 protein only when phosphorylated at Ser386.				
Source / Purifica	tion	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ser386 of human IRF-3 protein.				
Description		This Cell Signaling Technology antibody is conjugated to Alexa Fluor <sup>®</sup> 647 fluorescent dye and tested in-house for direct flow cytometric analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated Phospho-IRF-3 (Ser386) (E7J8G) XP <sup>®</sup> Rabbit mAb #37829.				
Background		Interferon regulatory factors (IRFs) comprise a family of transcription factors that function within the Jak/Stat pathway to regulate interferon (IFN) and IFN-inducible gene expression in response to viral infection (1). IRFs play an important role in pathogen defense, autoimmunity, lymphocyte development, cell growth, and susceptibility to transformation. The IRF family includes nine members: IRF-1, IRF-2, IRF-9/ISGF3y, IRF-3, IRF-4 (Pip/LSIRF/ICSAT), IRF-5, IRF-6, IRF-7, and IRF-8/ICSBP. All IRF proteins share homology in their amino-terminal DNA-binding domains. IRF family members regulate transcription through interactions with proteins that share similar DNA-binding motifs, such as IFN-stimulated response elements (ISRE), IFN consensus sequences (ICS), and IFN regulatory elements (IRF-E) (2).				
Background Ref	erences	1. Taniguchi, T. et al. (2001) <i>Annu Rev Immunol</i> 19, 623-55. 2. Honda, K. and Taniguchi, T. (2006) <i>Nat Rev Immunol</i> 6, 644-58.				
Species Reactivit	ty	Species reactivity is deter	mined by testing in at le	ast one approved ap	plication (e.g., western blot).	
Applications Key	,	FC-FP: Flow Cytometry (Fixed/Permeabilized)				
Cross-Reactivity	Key	H: Human				
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.				
		XP is a registered trademark of Cell Signaling Technology, Inc.				
		transfer of this product is conducted by the buyer, of must not (1) use this pro- purposes; (b) testing, and per-test basis; or (c) man this product or its compo- purchasing a license to th Technologies Corporation	conditioned on the buy excluding contract resear duct or its components for alysis or screening service ufacturing or quality assuments for resale, whethe his product for purposes h, 5791 Van Allen Way, Ca	er using the purchas rch or any fee for ser or (a) diagnostic, ther es, or information in urance or quality con r or not resold for us other than as descril arlsbad, CA 92008 US	return for compensation on a htrol, and/or (2) sell or transfer se in research. For information on bed above, contact Life A or outlicensing@lifetech.com.	
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.				

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.