



Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

Store at -20C
#9868

CDK Antibody Sampler Kit

1 Kit (6 x 20 microliters)

For Research Use Only. Not for Use in Diagnostic Procedures.

Product Includes	Product #	Quantity	Mol. Wt	Isotype/Source
cdc2 (POH1) Mouse mAb	9116	20 µl	34 kDa	Mouse IgG2a
CDK2 (78B2) Rabbit mAb	2546	20 µl	33 kDa	Rabbit
CDK4 (D9G3E) Rabbit mAb	12790	20 µl	30 kDa	Rabbit IgG
CDK6 (D4S8S) Rabbit mAb	13331	20 µl	36 kDa	Rabbit IgG
CDK7 (MO1) Mouse mAb	2916	20 µl	40 kDa	Mouse IgG2b
CDK9 (C12F7) Rabbit mAb	2316	20 µl	42, 55 kDa	Rabbit IgG
Anti-rabbit IgG, HRP-linked Antibody	7074	100 µl		Goat
Anti-mouse IgG, HRP-linked Antibody	7076	100 µl		Horse

Please visit cellsignal.com for individual component applications, species cross-reactivity, dilutions, protocols, and additional product information.

Description

The CDK Antibody Sampler Kit provides an economical means of evaluating Cdk proteins. The kit contains enough primary and secondary antibodies to perform two western blot experiments.

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

Background

Cyclin-dependent kinases (CDKs) are the core effectors of cell cycle progression. CDK activity is regulated through association with their cyclin partners and cyclin-dependent kinase inhibitors (CKIs) as well as by activating and inhibitory phosphorylation events. Inhibition is mediated by Wee1 and Myt1 kinases that target residues at the amino terminus of CDK1 (1,2). Dephosphorylation of these residues by cdc25 phosphatase leads to activation of CDK kinase activity (3). The CDK7/cyclinH complex is the ubiquitous mammalian CDK-activating kinase (CAK) that phosphorylates a conserved threonine residue in the T-loop domain of CDKs. The carboxy-terminal domain of RNA polymerase II is also a target of CAK as well as CDK9/cyclinT (4,5). CDK4/6 associate with cyclinD and phosphorylate retinoblastoma protein and initiate progression through the restriction point in G1 (6). CDK2 associates with cyclinE in early S phase and cyclinA later in G2. CDK1/cyclinB regulates the initiation of mitotic events (7).

Background References

- Fattaey, A. and Booher, R.N. (1997) *Prog Cell Cycle Res* 3, 233-40.
- Booher, R.N. et al. (1997) *J Biol Chem* 272, 22300-6.
- Jessus, C. and Ozon, R. (1995) *Prog Cell Cycle Res* 1, 215-28.
- Kaldis, P. (1999) *Cell Mol Life Sci* 55, 284-96.
- De Falco, G. and Giordano, A. *Cancer Biol Ther* 1, 342-7.
- Sherr, C.J. (1995) *Trends Biochem Sci* 20, 187-90.
- Morgan, D.O. (1997) *Annu Rev Cell Dev Biol* 13, 261-91.

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for

Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.