

Store at Room
Temperature

#9997

Tris Buffered Saline with Tween 20 (TBST - 10X)

Supplied as a 10X stock.

**Cell Signaling**
TECHNOLOGY®**Support:** +1-978-867-2388 (U.S.)
cellsignal.com/support**Orders:** 877-616-2355 (U.S.)
orders@cellsignal.com**For Research Use Only. Not for Use in Diagnostic Procedures.**

Description: Tris buffered saline (TBS) solution with the detergent Tween 20 for use as a wash buffer during western blotting. Product is shipped and stored at room temperature. 1X Formulation: 137 mM Sodium Chloride, 20 mM Tris, 0.1% Tween 20. Supplied at pH 7.6.

Directions for Use: Dilute Tris Buffered Saline with Tween 20 (TBST-10X) to a 1X solution using ddH₂O. This product supplies enough 10X material to make 10 liters of 1X solution.

Storage: Supplied as a 10X solution. Store at room temperature.

Please visit www.cellsignal.com for a complete listing of recommended companion products.

Tween is a registered trademark of ICI Americas, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

cellsignal.com

© 2024 Cell Signaling Technology, Inc.

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

Applications: W—Western IP—Immunoprecipitation IHC—Immunohistochemistry CHIP—Chromatin Immunoprecipitation IF—Immunofluorescence F—Flow cytometry FC-FP—Flow cytometry-Fixed/Permeabilized FC-L—Flow cytometry-Live E-P—ELISA-Peptide
Species Cross-Reactivity: H—human M—mouse R—rat Hm—hamster Mk—monkey Mi—mink C—chicken Dm—D. melanogaster X—Xenopus Z—zebrafish B—bovine Dg—dog Pg—pig Sc—S. cerevisiae Ce—C. elegans Hr—Horse
All—all species expected. Species enclosed in parentheses are predicted to react based on 100% homology.