

mTOR Blocking Peptide

🗹 100 µg



877-616-CELL (2355)
orders@cellsignal.com
877-678-TECH (8324)
info@cellsignal.com
www.cellsignal.com
•

rev. 06/12/17

For Research Use Only. Not For Use In Diagnostic Procedures.

Description: This peptide is used to specifically block mTOR (7C10) Rabbit mAb #2983 reactivity.

Background: The mammalian target of rapamycin (mTOR, FRAP, RAFT) is a Ser/Thr protein kinase (1-3) that functions as an ATP and amino acid sensor to balance nutrient availability and cell growth (4,5). When sufficient nutrients are available, mTOR responds to a phosphatidic acid-mediated signal to transmit a positive signal to p70 S6 kinase and participate in the inactivation of the eIF4E inhibitor, 4E-BP1 (6). These events result in the translation of specific mRNA subpopulations. mTOR is phosphorylated at Ser2448 via the PI3 kinase/Akt signaling pathway and autophosphorylated at Ser2481 (7,8). mTOR plays a key role in cell growth and homeostasis and may be abnormally regulated in tumors. For these reasons, mTOR is currently under investigation as a potential target for anti-cancer therapy (9).

No product specific background information is currently available for this product.

Quality Control: The quality of the peptide was evaluated by reversed-phase HPLC and by mass spectrometry. The peptide blocks mTOR (7C10) Rabbit mAb #2983 signal in peptide dot blot.

Directions for Use: Use as a blocking reagent to evaluate the specificity of antibody reactivity in peptide dot blot protocols. Recommended antibody dilutions can be found on the product data sheet.

Background References:

- (1) Sabers, C.J. et al. (1995) *J Biol Chem* 270, 815-22.
- (2) Brown, E.J. et al. (1994) Nature 369, 756-8.
- (3) Sabatini, D.M. et al. (1994) *Cell* 78, 35-43.
- (4) Gingras, A.C. et al. (2001) Genes Dev 15, 807-26.
- (5) Dennis, P.B. et al. (2001) Science 294, 1102-5.
- (6) Fang, Y. et al. (2001) Science 294, 1942-5.
- (7) Navé, B.T. et al. (1999) *Biochem J* 344 Pt 2, 427-31.
- (8) Peterson, R.T. et al. (2000) J Biol Chem 275, 7416-23.
- (9) Huang, S. and Houghton, P.J. (2003) *Curr Opin Pharmacol* 3, 371-7.

Entrez Gene ID #2475 UniProt ID #P42345

Storage: Supplied in 20 mM potassium phosphate (pH 7.0), 50 mM NaCl, 0.1 mM EDTA, 1 mg/ml BSA, 5% glycerol, and 1% DMS0. Store at -20°C.

For product specific protocols please see the web page for this product at www.cellsignal.com.

Please visit www.cellsignal.com/companion for a complete listing of recommended companion products.

Applications Key: W—Western IP—Immunoprecipitation IHC—Immunohistochemistry ChIP—Chromatin Immunoprecipitation IF—Immunofluorescence F—Flow cytometry E-P—ELISA-Peptide
Species Cross-Reactivity Key: H—human M—mouse R—rat Hm—hamster Mk—monkey Mi—mink C—chicken Dm—D. melanogaster X—Xenopus Z—zebrafish B—bovine
Dg—doq Pg—pig Sc—S. cerevisiae Ce—C. elegans Hr—horse AII—all species expected Species enclosed in parentheses are predicted to react based on 100% homology.