Store at

1816

#

DEPTOR/DEPDC6 (D9F5) Rabbit mAb



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP, IHC-P	Reactivity: H R Mk	Sensitivity: Endogenous	MW (kDa): 48	Source/Isotype: Rabbit IgG	UniProt ID: #Q8TB45	Entrez-Gene Id: 64798		
Product Usage Information		Application Western Blotting Immunoprecipitation Immunohistochemistry (Paraffin)			Dilution 1:1000 1:50 1:1000			
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.						
		For a carrier free (BSA and azide free) version of this product see product #25285.						
Specificity/Sensitivity DEPTOR/DEPDC6 (D9F5) Rabbit mAb recognizes endogenous								
Source / Purifi	cation	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Leu113 of human DEPTOR/DEPDC6 protein.						
Background		DEPTOR/DEPDC6 is a component of both mTORC1 and mTORC2 complexes (1). It interacts with mTOR and inhibits mTORC1 and mTORC2 kinase activities (1). mTOR, along with casein kinase I, phosphorylates DEPTOR/DEPDC6 in the presence of growth signals, which leads to the degradation of DEPTOR/DEPDC6 (2). Research studies have shown that transgenic mice overexpressing DEPTOR/DEPDC6 have more white adipose tissue, and DEPTOR/DEPDC6 expression levels increase in the white adipose tissue of obese humans (3). Furthermore, the expression of DEPTOR/DEPDC6 is induced during mouse adipocyte differentiation (3). Together these findings suggest that DEPTOR/DEPDC6 regulates adipogenesis (3).						
Background R	eferences	1. Peterson, T.R. et al. 2. Gao, D. et al. (2011) 3. Laplante, M. et al. (2	Mol Cell 44, 290-30)3.				
Species Reacti	vity	Species reactivity is determined by testing in at least one approved application (e.g., western blot).						
Western Blot E	Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications K	ey	W: Western Blotting IP: Immunoprecipitation IHC-P: Immunohistochemistry (Paraffin)						
Cross-Reactivi	ty Key	H: Human R: Rat Mk: Monkey						
Trademarks ar	nd Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.						
		All other trademarks a more information.	are the property of	their respective owners.	Visit cellsignal.com	/trademarks for		
Limited Uses		the following terms an terms and conditions	oply to Products pr that are in additior	a writing signed by a leg ovided by CST, its affiliate to, or different from, th y authorized representat	es or its distributors ose contained here	s. Any Customer's in, unless		
		approved, cleared, or purpose. Customer sh	licensed by the FD/ nall not use any Pro	lse Only or a similar labe A or other regulatory for duct for any diagnostic o g statement. Products so	eign or domestic er or therapeutic purp	ntity, for any ose, or otherwise in		

Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.