

Store at
-20°C
#13609**DNA Polymerase γ (D1Y6R) Rabbit mAb**
Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
W, IP	H Mk	Endogenous	140	Rabbit IgG	#P54098	5428

Product Usage Information**Application**
 Western Blotting
Immunoprecipitation
Dilution
 1:1000
1:50
Storage
 Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C . Do not aliquot the antibody.
Specificity/Sensitivity
 DNA Polymerase γ (D1Y6R) Rabbit mAb recognizes endogenous levels of total DNA polymerase γ protein.
Source / Purification
 Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Pro560 of human DNA polymerase γ protein.
Background

DNA polymerase γ (POLG, pol gamma) is a nuclear encoded protein that is responsible for mitochondrial genome replication in eukaryotic cells. The 140 kDa polymerase γ catalytic subunit forms a holoenzyme complex with a 55 kDa accessory protein (POLG2, pol γ B) dimer, which confers processivity (1). In addition to polymerase activity, polymerase γ contains 3'-5' exonuclease activity for proofreading and 5'-deoxyribonucleic phosphate lyase activity that functions in DNA base excision repair (BER). The rate at which the catalytic subunit recognizes damaged DNA during DNA repair is enhanced by the pol γ B accessory subunit (2). Mutations in the corresponding *POLG* gene are associated with several inherited neuropathies including progressive external ophthalmoplegia, myocerebrohepatopathy spectrum disorders and Alpers-Huttenlocher syndrome (3,4). Research studies indicate that mutations in the corresponding *POLG* gene may promote breast tumorigenesis (5).

Background References

1. Kaguni, L.S. (2004) *Annu Rev Biochem* 73, 293-320.
2. Pinz, K.G. and Bogenhagen, D.F. (2006) *DNA Repair (Amst)* 5, 121-8.
3. Stumpf, J.D. et al. (2013) *Cold Spring Harb Perspect Biol* 5, a011395.
4. Finsterer, J. (2011) *J Neurol Sci* 304, 9-16.
5. Singh, K.K. et al. (2009) *J Hum Genet* 54, 516-24.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer
 IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween@ 20 at 4°C with gentle shaking, overnight.
Applications Key
W: Western Blotting **IP:** Immunoprecipitation
Cross-Reactivity Key
H: Human **Mk:** Monkey
Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

SignalSilence is a registered trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.