

ARFGAP1 (D9A4V) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	Reactivity: H	Sensitivity: Endogenous	MW (kDa): 45	Source/Isotype: Rabbit IgG	UniProt ID: #Q8N6T3	Entrez-Gene Id: 55738
Product Usage Information	•	Application Western Blotting Immunoprecipitation			Dilution 1:1000 1:50	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. <i>Do not aliquot the antibody.</i>				
Specificity/Sensitivity		ARFGAP1 (D9A4V) Rabbit mAb recognizes endogenous levels of total ARFGAP1 protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Thr338 of human ARFGAP1 protein.				
Background		regulates vesicle forma vesicle formation by sti activating protein initia ARFGAP1 plays an activ networks (1). Research a large multifunction pro ARFGAP1 regulates GTF	ntion and membra mulating GTP hyc tes vesicle transp re role in the Golg studies indicate the rotein whose gen Pase activity and p	g protein 1 (ARFGAP1) is ne trafficking (1). ARFGA rolysis of ADP-ribosylation ort by coupling vesicle for- to-ER retrograde, intra- nat ARFGAP1 can act as a etic mutations are associ promotes the kinase action of LRRK2 mediated neur	P1 initiates cargo son factor ARF1 (2). In factor ARF1 (2). In factor with cargo Golgi, and trans-Goad GTPase activating lated with Parkinsovity of LRRK2, which	election and COP1 This GTPase o sorting (3). olgi trafficking protein for LRRK2, n's disease (4). olgi suggests some
Background References		1. Inoue, H. and Randazzo, P.A. (2007) <i>Traffic</i> 8, 1465-75. 2. Kartberg, F. et al. (2010) <i>J Biol Chem</i> 285, 36709-20. 3. Yang, J.S. et al. (2002) <i>J Cell Biol</i> 159, 69-78. 4. Stafa, K. et al. (2012) <i>PLoS Genet</i> 8, e1002526.				
Species Reacti	vity	Species reactivity is det	ermined by testin	g in at least one approve	ed application (e.g.,	western blot).
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				
Applications K	ey	W: Western Blotting IP: Immunoprecipitation				

Cross-Reactivity Key H: Human

Trademarks and Patents Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST,

the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no

force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.