Cas9 (*S. pyogenes*) (7A9-3A3) Mouse mAb





Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IF-F, IF-IC, FC-FP	Reactivity: All	Sensitivity: Transfected Only	MW (kDa): 160	Source/Isotype: Mouse IgG1	UniProt ID: #Q99ZW2	Entrez-Gene Id: 901176
Product Usage Information Storage		ApplicationDilutionWestern Blotting1:1000Immunofluorescence (Frozen)1:100 - 1:400Immunofluorescence (Immunocytochemistry)1:100 - 1:400Flow Cytometry (Fixed/Permeabilized)1:50 - 1:200Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% gl/cerol and less that 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.			000 00 - 1:400 00 - 1:400 0 - 1:200	
Specificity/Sens	sitivity	For a carrier-free (BSA and azide free) version of this product see product #10612. Cas9 (<i>S. pyogenes</i>)(7A9-3A3) Mouse mAb recognizes transfected levels of total Cas9 protein. This antibody does not cross-react with Cas9 (S. aureus), FnCpf1, and AsCpf1 proteins.				
Source / Purific	ation	Monoclonal antibody is produced by immunizing animals with recombinant protein specific to the amino terminus of Cas9 from <i>Streptococcus pyogenes</i> .				
Background		The CRISPR associated protein 9 (Cas9) is an RNA-guided DNA nuclease and part of the <i>Streptococcus pyogenes</i> CRISPR antiviral immunity system that provides adaptive immunity against extrachromosomal genetic material (1). The CRISPR antiviral mechanism of action involves three steps: (i), acquisition of foreign DNA by host bacterium; (ii), synthesis and maturation of CRISPR RNA (crRNA) followed by the formation of RNA-Cas nuclease protein complexes; and (iii), target interference through recognition of foreign DNA by the complex and its cleavage by Cas nuclease activity (2). The type II CRISPR/Cas antiviral immunity system provides a powerful tool for precise genome editing and has potential for specific gene regulation and therapeutic applications (3). The Cas9 protein and a guide RNA consisting of a fusion between a crRNA and a trans-activating crRNA (trarRNA) must be introduced or expressed in a cell. A 20-nucleotide sequence at the 5' end of the guide RNA directs Cas9 to a specific DNA target site. As a result, Cas9 can be "programmed" to cut various DNA sites both <i>in vitro</i> and in cells and organisms. CRISPR/Cas9 genome editing tools have been used in many organisms, including mouse and human cells (4,5). Research studies demonstrate that CRISPR can be used to generate mutant alleles or reporter genes in rodents and primate embryonic stem cells (6-8).				
Background Re	ferences	1. Horvath, P. and Barr, 2. Wiedenheft, B. et al. 3. Singh, P. et al. (2015) 4. Cong, L. et al. (2013) 5. Mali, P. et al. (2013) 6. Li, D. et al. (2013) <i>Na</i> 7. Shen, B. et al. (2014) 8. Niu, Y. et al. (2014) <i>C</i>	(2012) Nature 482,) Genetics 199, 1-15 Science 339, 819-2 Science 339, 823-6. It Biotechnol 31, 68 Cell Res 23, 720-3.	331-8. 3.		
Species Reactiv	vity	Species reactivity is de	termined by testing	յ in at least one approve	ed application (e.g.,	western blot).
Western Blot B	uffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				n 5% w/v nonfat
Applications Ke	ey .	W: Western Blotting IF-F: Immunofluorescence (Frozen) IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized)				
Cross-Reactivit	у Кеу	All: All Species Expected				

Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
	SignalStain is a registered trademark of Cell Signaling Technology, Inc.
	All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.
Limited Uses	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.
	Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purpose, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.