Revision 5	
YMyc-Tag (9B11) Mouse mAb (Alexa Fluor [®] 488 Conjugate)	
	Orders: 877-616-CELL (2355) orders@cellsignal.com
σ	Support: 877-678-TECH (8324)
2279	Web: info@cellsignal.com cellsignal.com
#	3 Trask Lane Danvers Massachusetts 01923 USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: Re IF-IC, FC-FP	activity: All	Sensitivity: Transfected Only	Source/Isotype: Mouse IgG2a kappa		
Product Usage Information	I	Application Immunofluorescence (Immunocytochemistry) Flow Cytometry (Fixed/Permeabilized)		Dilution 1:100 - 1:400 1:50	
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot antibody. Protect from light. Do not freeze.		J/ml BSA. Store at 4°C. Do not aliquot the	
Specificity/Sensitivit	, כ 4 ג	Myc-Tag (9B11) Mouse mAb (Alexa Fluor [®] 488 Conjugate) detects exogenously expressed proteins containing the Myc epitope tag. This antibody recognizes the Myc tag fused to either the amino or carboxy terminus of targeted proteins in transfected cells. Myc-Tag (9B11) Mouse mAb (Alexa Fluor [®] 488 Conjugate) detects exogenously expressed Myc-tagged proteins in cells expressed under a CMV promoter. Expression under other promoters has not been evaluated. The antibody may cross-react with c-myc protein.			
Source / Purification	r	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues 410-419 of human c-Myc (EQKLISEEDL). The antibody was conjugated to Alexa Fluor [®] 488 under optimal conditions with an F/P ratio of 2-6.			
Description	i	This Cell Signaling Technology antibody is conjugated to Alexa Fluor [®] 488 fluorescent dye and tested in-house for direct flow cytometry and immunofluorescent analysis in cells transfected with Myc-tagged protein.			
Background	round Epitope tags are us immunoprecipitatic		or the labeling and detection of proteind immunostaining techniques. Becaus n's biochemical properties.	ns using immunoblotting, se of their small size, they are unlikely to	
		The Myc epitope tag is widely used to detect expression of recombinant proteins in bacteria, yeast, insect and mammalian cell systems.			
Background Referen	ces 1	1. Munro, S. and Pelham, H.R. (1984) <i>EMBO J</i> 3, 3087-93.			
Species Reactivity	5	species reactivity is dete	rmined by testing in at least one appro	ved application (e.g., western blot).	
Applications Key	I	IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized)			
Cross-Reactivity Key	ļ	All: All Species Expected			
Trademarks and Patents	ents (Cell Signaling Technolog	y is a trademark of Cell Signaling Tech	nology, Inc.	
		This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is conditioned on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not (1) use this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; or (c) manufacturing or quality assurance or quality control, and/or (2) sell or transfer this product or its components for resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com.			
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.			
Limited Uses	t	he following terms appl		egally authorized representative of CST, ates or its distributors. Any Customer's those contained herein, unless	

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purpose, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com For Research Use Only. Not for Use in Diagnostic Procedures.