## Phospho-IRS-1 (Ser302) Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W	Reactivity: H M R	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 180	Source/Isotype: Rabbit	UniProt ID: #P35568	Entrez-Gene Id: 3667
Product Usage Information		<b>Application</b> Western Blotting			<b>Dilution</b> 1:1000	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		Phospho-IRS-1 (Ser 302) Antibody detects endogenous levels of IRS-1 only when phosphorylated at Ser302 of mouse IRS-1 or Ser307 of human IRS-1. This antibody does not detect IRS-1 phosphorylated at other sites.				
Species predict based on 100% homology		Pig				
Source / Purification		Polyclonal antibodies are produced by immunizing animals with a synthetic phosphopeptide corresponding to residues surrounding Ser 302 of mouse IRS-1. Antibodies are purified by protein A and peptide affinity chromatography.				
Insulin receptor substrate 1 (IRS-1) is one of the major substrates of the insulin receptor k 1 contains multiple tyrosine phosphorylation motifs that serve as docking sites for SH2-docontaining proteins that mediate the metabolic and growth-promoting functions of insulin also contains over 30 potential serine/threonine phosphorylation sites. Ser307 of IRS-1 is phosphorylated by JNK (5) and IKK (6) while Ser789 is phosphorylated by SIK-2, a member family (7). The PKC and mTOR pathways mediate phosphorylation of IRS-1 at Ser612 and Serspectively (8,9). Phosphorylation of IRS-1 at Ser1101 is mediated by PKC0 and results in of insulin signaling in the cell, suggesting a potential mechanism for insulin resistance in sof obesity (10).  Ser302 in rat/mouse IRS-1 (corresponding to Ser307 of human IRS-1) is phosphorylated rational insulin stimulation and has a postive role in IRS-1 tyrosine phosphorylation. Inhibition of phosphorylation by short-term amino acid/glucose starvation correlates with a decrease in tyrosine phosphorylation. A defect in this positive regulatory pathway may be a mechanism contrinsulin resistence (11).					H2-domain insulin (2-4). IRS-1 S-1 is mber of the AMPK and Ser636/639, alts in an inhibition ace in some models ted rapidly during on of Ser302 ease in IRS-1	
Background Re	eferences	<ol> <li>Sun, X.J. et al. (1991) Nature 352, 73-77.</li> <li>Sun, X.J. et al. (1992) J. Biol. Chem. 267, 22662-22672.</li> <li>Myers Jr., M.G. et al. (1993) Endocrinology 132, 1421-1430.</li> <li>Wang, L.M. et al. (1993) Science 261, 1591-1594.</li> <li>Rui, L. et al. (1997) J. Clin. Invest. 107, 181-189.</li> <li>Gao, Z. et al. (2002) J. Biol. Chem. 277, 48115-48121.</li> <li>Horike, N. et al. (2003) J. Biol. Chem. 278, 18440-18447.</li> <li>Ozes, O.N. et al. (2001) Proc. Natl. Acad. Sci. USA 98, 4640-4645.</li> <li>De Fea, K. and Ruth, R.A. (1997) Biochemistry 36, 12939-12947.</li> <li>Li, Y. et al. (2004) J. Biol. Chem. 279, 45304-45307.</li> <li>Giraud, J. et al. (2004) J Biol Chem 279, 3447-54.</li> </ol>				

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting

Cross-Reactivity Key H: Human M: Mouse R: Rat

Trademarks and Patents Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.