

Store at
4°C

#25968

Galectin-9 (D9R4A) XP[®] Rabbit mAb (Alexa Fluor[®] 647 Conjugate)



Support: +1-978-867-2388 (U.S.)
www.cellsignal.com/support

Orders: 877-616-2355 (U.S.)
orders@cellsignal.com

Entrez-Gene ID #3965
UniProt ID #000182

New 03/18

For Research Use Only. Not For Use In Diagnostic Procedures.

Applications	Species Cross-Reactivity	Isotype
F Endogenous	H	Rabbit IgG


Description: This Cell Signaling Technology antibody is conjugated to Alexa Fluor[®] 647 fluorescent dye and tested in-house for direct flow cytometric analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated Galectin-9 (D9R4A) XP[®] Rabbit mAb #54330.

Background: Galectins are a family of β -galactose binding proteins that are characterized by an affinity for poly-N-acetyl-lactosamine-enriched glycoconjugates and a carbohydrate-binding site (1,2). Members of the galectin family have been implicated in a variety of biological functions, including cell adhesion (3), growth regulation (4), cytokine production (5), T-cell apoptosis (6), and immune responses (7).

Galectin-9 is induced by proinflammatory stimuli, including IFN- γ , TNF- α , and TLR ligands, and regulates various immune responses through interaction with its ligand TIM-3 (8, 9). Binding of galectin-9 to TIM-3 expressed by Th1 CD4 T cells resulted in T cell death (9). On the other hand, galectin-9 treatment of tumor-bearing mice increased the number of IFN- γ -producing TIM-3+ CD8 T cells and TIM-3+ dendritic cells (10). Transgenic overexpression of either TIM-3 or galectin-9 in mice led to an increase in cells with a myeloid-derived suppressor cell phenotype and inhibition of immune responses (11). CD44 is also proposed to be a receptor for galectin-9, and interaction of galectin-9 with CD44 expressed by induced regulatory T (iTreg) cells enhanced the stability of function of iTreg cells. In addition, galectin-9 was recently demonstrated to bind Dectin-1 expressed by pancreatic ductal adenocarcinoma-infiltrating macrophages, resulting in tolerogenic macrophage reprogramming and suppression of anti-tumor immunity. Increased galectin-9 expression has been observed in several cancer types, including lung, liver, breast, and kidney (12). Alternative splicing of the galectin-9 transcript leads to several isoforms (13).

Specificity/Sensitivity: Galectin-9 (D9R4A) XP[®] Rabbit mAb (Alexa Fluor[®] 647 Conjugate) recognizes endogenous levels of total galectin-9 protein.

Source/Purification: Monoclonal antibody is produced by immunizing animals with recombinant human galectin-9 protein.



Flow cytometric analysis of PANC-1 cells (blue) and U-937 cells (green) using Galectin-9 (D9R4A) XP[®] Rabbit mAb (Alexa Fluor[®] 647 Conjugate) (solid lines) or a concentration-matched Rabbit (DA1E) mAb IgG XP[®] Isotype Control (Alexa Fluor[®] 647 Conjugate) #2985 (dashed lines).

Storage: Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.

Recommended Antibody Dilutions:

Flow Cytometry 1:50

For product specific protocols and a complete listing of recommended companion products please see the product web page at www.cellsignal.com.

Background References:

- (1) Barondes, S.H. et al. (1994) *Cell* 76, 597-8.
- (2) Barondes, S.H. et al. (1994) *J Biol Chem* 269, 20807-10.
- (3) Offner, H. et al. (1990) *J Neuroimmunol* 28, 177-84.
- (4) Wells, V. and Mallucci, L. (1991) *Cell* 64, 91-7.
- (5) Filer, A. et al. (2009) *Arthritis Rheum* 60, 1604-14.
- (6) Perillo, N.L. et al. (1995) *Nature* 378, 736-9.
- (7) Cooper, D.N. et al. (1991) *J Cell Biol* 115, 1437-48.
- (8) Gieseke, F. et al. (2013) *Eur J Immunol* 43, 2741-9.
- (9) Zhu, C. et al. (2005) *Nat Immunol* 6, 1245-52.
- (10) Nagahara, K. et al. (2008) *J Immunol* 181, 7660-9.
- (11) Dardalhon, V. et al. (2010) *J Immunol* 185, 1383-92.
- (12) Heusschen, R. et al. (2014) *Biochim Biophys Acta* 1842, 284-92.
- (13) Heusschen, R. et al. (2013) *Biol Reprod* 88, 22.

This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is conditioned on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not (1) use this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; or (c) manufacturing or quality assurance or quality control, and/or (2) sell or transfer this product or its components for resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com.

Alexa Fluor is a registered trademark of Life Technologies Corporation.

Thank you for your recent purchase. If you would like to provide a review visit cellsignal.com/comments.

www.cellsignal.com

© 2018 Cell Signaling Technology, Inc.

XP and Cell Signaling Technology are trademarks of Cell Signaling Technology, Inc.

Applications: W—Western IP—Immunoprecipitation IHC—Immunohistochemistry ChIP—Chromatin Immunoprecipitation IF—Immunofluorescence F—Flow cytometry E-P—ELISA-Peptide **Species Cross-Reactivity:** H—human M—mouse R—rat Hm—hamster Mk—monkey Mi—mink C—chicken Dm—D. melanogaster X—Xenopus Z—zebrafish B—bovine Dg—dog Pg—pig Sc—S. cerevisiae Ce—C. elegans Hr—Horse All—all species expected Species enclosed in parentheses are predicted to react based on 100% homology.