## Oct-4A (C30A3) Rabbit mAb



877-616-CELL (2355) orders@cellsignal.com Orders:

877-678-TECH (8324) Support:

info@cellsignal.com cellsignal.com Web:

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> W, IF-IC, FC-FP	Reactivity: H M	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 45	<b>Source/Isotype:</b> Rabbit IgG	UniProt ID: #Q01860	Entrez-Gene Id: 5460
Product Usage Information		Application Western Blotting Immunofluorescence (Immunocytochemistry) Flow Cytometry (Fixed/Permeabilized)			<b>Dilution</b> 1:1000 1:200 - 1:400 1:100 - 1:400	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
		For a carrier free (BSA and azide free) version of this product see product #40344.				
Specificity/Sensitivity		Oct-4A (C30A3) Rabbit mAb detects endogenous levels of total Oct-4A protein. Based on high sequence homology, this antibody may also detect OCT4-PG1.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with recombinant protein specific to the amino terminus of human Oct-4A. The epitope has been mapped to residues surrounding Gly52.				
Background		Oct-4 (POU5F1) is a transcription factor highly expressed in undifferentiated embryonic stem cells and embryonic germ cells (1). A network of key factors that includes Oct-4, Nanog, and Sox2 is necessary for the maintenance of pluripotent potential, and downregulation of Oct-4 has been shown to trigger cell differentiation (2,3). Research studies have demonstrated that Oct-4 is a useful germ cell tumor marker (4). Oct-4 exists as two splice variants, Oct-4A and Oct-4B (5). Recent studies have suggested that the Oct-4A isoform has the ability to confer and sustain pluripotency, while Oct-4B may exist in some somatic, non-pluripotent cells (6,7).				
Background References		1. Looijenga, L.H. et al. (2003) <i>Cancer Res</i> 63, 2244-50. 2. Pesce, M. and Schöler, H.R. (2001) <i>Stem Cells</i> 19, 271-278. 3. Pan, G. and Thomson, J.A. (2007) <i>Cell Res</i> 17, 42-9. 4. Cheng, L. et al. (2007) <i>J Pathol</i> 211, 1-9. 5. Takeda, J. et al. (1992) <i>Nucleic Acids Res</i> 20, 4613-20. 6. Cauffman, G. et al. (2006) <i>Stem Cells</i> 24, 2685-91. 7. Lee, J. et al. (2006) <i>J Biol Chem</i> 281, 33554-65.				
Species Reactiv	/ity	Species reactivity is c	letermined by testin	g in at least one approv	ed application (e.g.,	western blot).
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 13 TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				n 5% w/v BSA, 1X
Applications Key		<b>W:</b> Western Blotting <b>IF-IC:</b> Immunofluorescence (Immunocytochemistry) <b>FC-FP:</b> Flow Cytometry (Fixed/Permeabilized)				
Cross-Reactivity Key		H: Human M: Mouse				
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.				
		U.S. Patent No. 7,429,487, foreign equivalents, and child patents deriving therefrom.				
		All other trademarks more information.	are the property of	their respective owners.	Visit cellsignal.com	n/trademarks for
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.				s. Any Customer's in, unless

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com For Research Use Only. Not for Use in Diagnostic Procedures.