± 29097 store at +4C

MHC Class II (I-A/I-E) (M5/114.15.2) Rat mAb (redFluor[™] 710 Conjugate)



Orders:877-616-CELL (2355)
orders@cellsignal.comSupport:877-678-TECH (8324)Web:info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:Reactivity:FC-FP, FC-LM	Sensitivity: Endogenous	Source/Isotype: Rat IgG2b kappa	UniProt ID: #P18468, #P06342, #Q3U060, #P14435	Entrez-Gene Id: 14969, 14961, 381091, 14960
Product Usage	For optimal flow cytometry results, we recommend 0.5 μg of antibody per test.			
Information	Application Flow Cytometry (Fixed/Pei Flow Cytometry (Live)	rmeabilized)		Dilution 1:40 1:40
Storage	Supplied in 10 mM NaH2PO4, 150 mM NaCl, 0.09% NaN3, 0.1% gelatin, pH 7.2. This product is stable for 12 months when stored at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity	MHC Class II (I-A/I-E) (M5/114.15.2) Rat mAb (redFluor™ 710 Conjugate) recognizes endogenous levels of total MHC class II (I-A/I-E) proteins. This antibody detects epitopes within the extracellular domain of MHC class II (I-A/I-E).			
Source / Purification	This monoclonal antibody was purified from tissue culture supernatant via affinity chromatography. The purified antibody was conjugated under optimal conditions, with unreacted dye removed from the preparation.			
Description	This Cell Signaling Technology antibody is conjugated to redFluor™ 710 and tested in-house for direct flow cytometric analysis in mouse cells.			
Background	Major histocompatibility complex class II (MHC class II) molecules are heterodimeric, transmembrane glycoproteins expressed on the surface of antigen-presenting cells, such as macrophages, dendritic cells, and B cells. Expression can also be induced on other cell types through interferon-γ signaling (1). Prior to being displayed on the cell membrane, MHC class II molecules are loaded with exogenous peptide antigens approximately 15-24 amino acids in length that were derived from endocytosed extracellular proteins digested in the lysosome (2). Antigen-presentation through MHC class II is required for T cell activation during the immune response to extracellular pathogens (2). In humans, the MHC class II protein complex is encoded by the human leukocyte antigen gene complex (HLA). HLAs corresponding to MHC class II are HLA-DP, HLA-DM, HLA-DOA, HLA-DOB, HLA-DQ, and HLA-DR (3). The M5/114.15.2 antibody reacts with mouse MHC class II, both I-A and I-E subregion-encoded glycoproteins (I-Ab, I-Ad, I-Aq, I-Ed, I-Ek, not I-Af, I-Ak, or I-As). It detects a polymorphic determinant present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2b, H-2d, H-2q, H-2p, H-2r and H-2u haplotypes, but not from mice carrying the H-2s or H-2f haplotypes (4-7). The M5/114 mAb is reported to inhibit I-A-restricted T cell responses of the H-2b, H-2d, H-2q, uncertain the transmembrane distribution of the transmembrane distribution of the H-2b, H-2d, H-2q, uncertain to the transmembrane distribution of the transmembrane distribution of the H-2b, H-2d, H-2p, H-2r, H-2r, H-2r, H-2r, H-2r, haplotypes (8,9).			
Background References	1. Ting, J.P. and Trowsdale, 2. Cresswell, P. (1994) <i>Ann</i> 3. Karp, D.R. et al. (1990) <i>J</i> 4. Staehli, F. et al. (2012) <i>J</i> 5. Scarlett, U.K. et al. (2012) 6. Anderson, M.S. and Mill 7. Miyazaki, T. et al. (2012) <i>J</i> 9. Chen, M. et al. (2011) <i>J</i>	, J. (2002) <i>Cell</i> 109 Sup <i>u Rev Immunol</i> 12, 25 <i>Exp Med</i> 171, 615-28. <i>Immunol</i> 188, 3820-8. 2) <i>J Exp Med</i> 209, 495- <i>J Exp Med</i> 209, 495- <i>J Exp Med</i> 209, 495- <i>J Exp Med</i> 209, 495- <i>J Exp Med</i> 209, 495- <i>Cell</i> 84, 531-41. <i>eukoc Biol</i> 91, 525-36.	pl, S21-33. 9-93. 506. A <i>cad Sci U S A</i> 89, 2282-6.	
Species Reactivity	Species reactivity is deterr	mined by testing in at	least one approved appli	cation (e.g., western blot).
Applications Key	FC-FP: Flow Cytometry (Fixed/Permeabilized) FC-L: Flow Cytometry (Live)			
Cross-Reactivity Key	M: Mouse			

Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.		
	All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.		
Limited Uses	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.		
	Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.		