## F4/80 (BM8.1) Rat mAb (violetFluor<sup>™</sup> 450 Conjugate)



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> FC-FP, FC-L	<b>Reactivity:</b> M	<b>Sensitivity:</b> Endogenous	<b>Source/Isotype:</b> Rat IgG2b kappa	<b>UniProt ID:</b> #Q61549	Entrez-Gene Id: 13733
Product Usage Information		For optimal flow cytometry results, we recommend 0.5µg of antibody per test.  Application  Dilution			
		Flow Cytometry (Fixed/Permeabilized)			1:40
		Flow Cytometry (Live)			1:40
Storage		Supplied in 10 mM NaH2PO4, 150 mM NaCl, 0.09% NaN3, 0.1% gelatin, pH 7.2. This product is stable for 12 months when stored at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity		F4/80 (BM8.1) Rat mAb (violetFluor™ 450 Conjugate) recognizes endogenous levels of total F4/80 protein. This antibody detects an epitope within the extracellular domain.			
Source / Purification		This monoclonal antibody was purified from tissue culture supernatant via affinity chromatography. The purified antibody was conjugated under optimal conditions, with unreacted dye removed from the preparation.			
Description		This Cell Signaling Technology antibody is conjugated to violetFluor™ 450 and tested in-house for direct flow cytometric analysis in mouse cells.			
Background		F4/80 (EMR1) is a heavily glycosylated G-protein-coupled receptor and is a well-established marker for mouse macrophages (1-3). Expression of F4/80 has also been observed in microglia and subset populations of dendritic cells (4). BM8.1 is widely used together with antibodies to CD115 (c-Fms), CD11b, and CD11c to identify myeloid/macrophage cells by flow cytometry.			
Background References		<ol> <li>Hirsch, S. et al. (1981) J Exp Med 154, 713-25.</li> <li>Austyn, J.M. and Gordon, S. (1981) Eur J Immunol 11, 805-15.</li> <li>McKnight, A.J. et al. (1996) J Biol Chem 271, 486-9.</li> <li>Greter, M. et al. (2015) Front Immunol 6, 249.</li> </ol>			
Species Peactivit	hv	Species reactivity is deter	rmined by testing in at le	est one approved an	nlication (e.g. western blot)

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Applications Key** 

**FC-FP:** Flow Cytometry (Fixed/Permeabilized) **FC-L:** Flow Cytometry (Live)

**Cross-Reactivity Key** 

M: Mouse

**Trademarks and Patents** 

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not

sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.