KAP-1 (C42G12) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IHC-P, IF-IC, FC- FP	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 100	Source/Isotype: Rabbit IgG	UniProt ID: #Q13263	Entrez-Gene Id: 10155
Product Usage Information		Application Western Blotting Immunohistochemist	try (Paraffin)			Dilution 1:1000 1:50
		Immunofluorescence Flow Cytometry (Fixed	(Immunocytochem	istry)		1:50 1:50
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
		For a carrier free (BSA and azide free) version of this product see product #68341.				
Specificity/Sensiti	vity	KAP-1 (C42G12) Rabb	it mAb detects endo	genous levels of total K	AP-1.	
Source / Purification Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding Pro585 of human KAP-1.						orresponding to
Background		KAP-1 is a member of the TIF1 (transcriptional intermediary factor 1) family, a group of transcriptional regulators that play key roles in development and differentiation. Members of this family are characterized by the presence of two conserved motifs – an N-terminal RING-B box-coiled-coil motif and a C-terminal PHD finger and bromodomain unit (1,2). KAP-1 is a corepressor for KRAB (Kruppel associated box) domain containing zinc finger proteins. The KRAB domain containing zinc finger proteins are a large group of transcription factors that are vertebrate-specific, varied in their expression patterns between species, and thought to regulate gene transcription programs that control speciation (3,4).KAP-1 has been shown to be essential for early embryonic development and spermatogenesis (6,5). It functions to either activate or repress transcription in response to environmental or developmental signals by chromatin remodeling and histone modification. The recruitment and association of KAP-1 with heterochromatin protein (HP1) is essential for transcriptional repression, and for progression through differentiation of F9 embryonic carcinoma cells (6,7). KAP-1 also plays a role in the DNA damage response. Phosphorylation of KAP-1 on Ser824 occurs in an ATM-dependent manner in response to genotoxic stress and is thought to be essential for chromatin relaxation, which is in turn required for the DNA damage response (8).				
Background Refe	1. Le Douarin, B. et al. (1995) <i>EMBO J.</i> 14, 2020-2033. 2. Le Douarin, B. et al. (1996) <i>EMBO J.</i> 15, 6701-6715. 3. Friedman, J.R. et al. (1996) <i>Genes Dev.</i> 10, 2067-2078. 4. Krebs, C.J. et al. (2005) <i>Genomics</i> 85, 752-761. 5. Weber, P. et al. (2002) <i>Development</i> 129, 2329-2337. 6. Cammas, F. et al. (2004) <i>Genes Dev.</i> 18, 2147-2160. 7. Cammas, F. et al. (2007) <i>Differentiation</i> 75, 627-37. 8. Ziv, Y. et al. (2006) <i>Nat. Cell Biol.</i> 8, 870-876.					
Species Reactivity		Species reactivity is d	atarminad by tactin	n in at least one approve	ad application (a.g.	

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

 $\textbf{W:} \ \text{Western Blotting IHC-P:} \ Immuno histochemistry \ (Paraffin) \ \textbf{IF-IC:} \ Immuno fluorescence$

(Immunocytochemistry) **FC-FP:** Flow Cytometry (Fixed/Permeabilized)

Cross-Reactivity Key

H: Human M: Mouse R: Rat Mk: Monkey

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

U.S. Patent No. 7,429,487, foreign equivalents, and child patents deriving therefrom.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.