



Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

Store at -20C
#4787

Msx1 (G116) Antibody

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
W	H	Endogenous	32	Rabbit	#P28360	4487

Product Usage Information

Application

Western Blotting

Dilution

1:1000

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA and 50% glycerol. Store at -20°C. Do not aliquot the antibody.

Specificity/Sensitivity

Msx1 (G116) Antibody detects endogenous levels of total Msx1 protein.

Species predicted to react based on 100% sequence homology

Monkey

Source / Purification

Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to amino acid sequence surrounding Gly116 of human Msx1 protein. Antibodies are purified by protein A and peptide affinity chromatography.

Background

Msh homeobox 1 (Msx1) is a Muscle Segment Homeobox (Msh) gene family member that acts as a transcriptional repressor during embryonic development, playing an important role in limb pattern formation, craniofacial development, and tooth development (1-3). Msx1 is expressed in the mesenchyme of the developing nail bed (2) and in fetal hair follicles, epidermis and fibroblasts; reduced expression is seen in adult epithelial-derived tissues (4). Msx1 acts in concert with the Wnt1 network to establish the midbrain dopaminergic progenitor domain, a region that gives rise to neurons that are critical for normal brain function and are the cells affected in Parkinson disease (5). Mutation in the corresponding Msx1 gene correlates with abnormal tooth development in patients diagnosed with Wolf-Hirschhorn syndrome (6). Other genetic changes in the Msx1 gene result in Witkop Syndrome ("tooth and nail syndrome") and cases of abnormal tooth development associated with non-syndromic orofacial clefting (2,7).

Background References

1. Jezewski, P.A. et al. (2003) *J Med Genet* 40, 399-407.
2. Jumlongras, D. et al. (2001) *Am J Hum Genet* 69, 67-74.
3. Lidral, A.C. and Reising, B.C. (2002) *J Dent Res* 81, 274-8.
4. Stelnicki, E.J. et al. (1997) *Differentiation* 62, 33-41.
5. Andersson, E. et al. (2006) *Cell* 124, 393-405.
6. Nieminen, P. et al. (2003) *J Dent Res* 82, 1013-7.
7. van den Boogaard, M.J. et al. (2000) *Nat Genet* 24, 342-3.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBST, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting

Cross-Reactivity Key

H: Human

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.