

Store at
4°C

#47972

Mouse Essential T Cell Markers Flow Cytometry Panel

1 Kit
(50 assays)



Support: +1-978-867-2388 (U.S.)
www.cellsignal.com/support

Orders: 877-616-2355 (U.S.)
orders@cellsignal.com

New 07/21

For Research Use Only. Not For Use In Diagnostic Procedures.

Product Includes	Item #	Dilution	Species Reactivity
CD3 (17A2) Rat mAb (PE Conjugate)	28306	1:40	M
CD4 (RM4-5) Rat mAb (violetFluor™ 450 Conjugate)	92599	1:160	M
FoxP3 (3G3) Mouse mAb (APC Conjugate)	41442	1:160	M
CD8α (2.43) Rat mAb (PE-Cy7® Conjugate)	87922	1:80	M
Granzyme B (D2H2F) Rabbit mAb (Alexa 488® Conjugate)	33359	1:50	H, M

Description: The Mouse Essential T Cell Markers Flow Cytometry Panel can be used to identify major subsets of human T cells.

T cells are identified by expression of CD3. There are two major subsets of conventional T cells: helper T cells which express CD4, and cytotoxic T cells which express CD8. Regulatory CD4+ T cells express FoxP3. Upon antigen stimulation, T cells upregulate expression of Granzyme B, a serine protease that is secreted by these cells to mediate target cell cytotoxicity.

Specificity/Sensitivity: Each antibody in the Mouse Essential T Cell Markers Flow Cytometry Panel detects endogenous levels of its target protein. CD3 (17A2) Rat mAb (PE Conjugate), CD4 (RM4-5) Rat mAb (violetFluor™ 450 Conjugate), and CD8α (2.43) Rat mAb (PE-Cy7® Conjugate) detect epitopes within the extracellular domains. FoxP3 (3G3) Mouse mAb (APC Conjugate) and Granzyme B (D2H2F) Rabbit mAb (Alexa Fluor® 488 Conjugate) detect epitopes within the intracellular domains.

Source/Purification: Monoclonal antibodies were purified from tissue culture supernatant via affinity chromatography. The purified antibodies were conjugated under optimal conditions, with unreacted dye removed from the preparation.

Storage: CD3 (17A2) Rat mAb (PE Conjugate), CD4 (RM4-5) Rat mAb (violetFluor™ 450 Conjugate), FoxP3 (3G3) Mouse mAb (APC Conjugate), and CD8α (2.43) Rat mAb (PE-Cy7® Conjugate) are supplied in 10 mM NaH₂PO₄, 150 mM NaCl, 0.09% Na₂S₂O₃, 0.1% gelatin, pH7.2. Granzyme B (D2H2F) Rabbit mAb (Alexa Fluor® 488 Conjugate) is supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. *Do not aliquot the antibodies. Protect from light. Do not freeze.*

All components in this kit are stable in accordance with the date printed on the outer packaging label when stored at the recommended temperature. Please refer to product labels, datasheets, or web pages for specific "Best By" dates for each individual component.

Directions for Use: All antibodies in this kit are compatible with the FoxP3/Transcription Factor Fixation/Permeabilization Kit #43481 and can be used in a single staining mix on fixed and permeabilized cells. Prior to fixation and antibody incubation, we recommend adding a fixable viability dye such as the Ghost Dye™ Violet 510 Viability Dye to enable identification and exclusion of dead cells from analysis.

Gating strategy for identifying essential T cell subsets:

If a fixable viability dye was used, first gate on viable cells. Next, gate on lymphocytes based on forward scatter and side scatter. Conventional helper T cells are the CD3+CD4+ cells within the lymphocyte gate. Regulatory CD3+CD4+ T cells are positive for expression of FoxP3. Conventional cytotoxic T cells are the CD3+CD8+ cells within the lymphocyte gate. Both CD3+CD4+ and CD3+CD8+ cells can be positive for expression of the cytotoxic molecule Granzyme B.

This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is conditioned on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not (1) use this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; or (c) manufacturing or quality assurance or quality control, and/or (2) sell or transfer this product or its components for resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com.

Ghost Dye is a registered trademark of Tonbo Biosciences.

violetFluor is a registered trademark of Tonbo Biosciences.

Cy and CyDye are registered trademarks of GE Healthcare.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Thank you for your recent purchase. If you would like to provide a review visit cellsignal.com/comments.

www.cellsignal.com

© 2021 Cell Signaling Technology, Inc.

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

Applications: W—Western IP—Immunoprecipitation IHC—Immunohistochemistry ChIP—Chromatin Immunoprecipitation IF—Immunofluorescence F—Flow cytometry E-P—ELISA-Peptide **Species Cross-Reactivity:** H—human M—mouse R—rat Hm—hamster Mk—monkey Mi—mink C—chicken Dm—D. melanogaster X—Xenopus Z—zebrafish B—bovine Dg—dog Pg—pig Sc—S. cerevisiae Ce—C. elegans Hr—Horse All—all species expected Species enclosed in parentheses are predicted to react based on 100% homology.