4983 Store at -20C

MAVS Antibody



Orders:	877-616-CELL (2355 orders@cellsignal.com
Support:	877-678-TECH (8324
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP, IF-F, IF-IC	Reactivity: M R	Sensitivity: Endogenous	MW (kDa): 75, 52	Source/Isotype: Rabbit	UniProt ID: #Q7Z434	Entrez-Gene Id: 57506		
Product Usage Information		Application Western Blotting Immunoprecipitation Immunofluorescence (I Immunofluorescence (I	Frozen) ímmunocytochemi:	stry)		Dilution 1:1000 1:50 1:50 1:50		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.						
Specificity/Sensi	tivity	MAVS Antibody detects endogenous levels of total MAVS/VISA protein. The bands detected at 52 and 75 kDa correlate with those described by Seth et al. (2005).						
Source / Purifica	tion	Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Cys140 of mouse MAVS/VISA. Antibodies were purified by affinity chromatography.						
Background	ackgroundThe mitochondrial antiviral signaling protein (MAVS, VISA) contributes to innate immunity by trig IRF-3 and NF-κB activation in response to viral infection, leading to the production of IFN-β (1). Th MAVS protein contains an N-terminal CARD domain and a C-terminal mitochondrial transmembr domain. The MAVS adaptor protein plays a critical and specific role in viral defenses (2). MAVS ac downstream of the RIG-I RNA helicase and viral RNA sensor, leading to the recruitment of IKKε, T and TRAF6 (3,4). Some viruses have evolved strategies to circumvent these innate defenses by us proteases that cleave MAVS to prevent its mitochondrial localization (5,6).							
Background Refe	erences	1. Seth, R.B. et al. (2005) <i>Cell</i> 122, 669-682. 2. Sun, Q. et al. (2006) <i>Immunity</i> 24, 633-642. 3. Xu, L.G. et al. (2005) <i>Mol. Cell</i> 19, 727-740. 4. Yoneyama, M. et al. (2004) <i>Nat. Immunol.</i> 5, 730-737. 5. Lin, R. et al. (2006) <i>J. Virol.</i> 80, 6072-6083. 6. Chen, Z. et al. (2007) <i>J. Virol.</i> 81, 964-976.						
Species Reactivit	у	Species reactivity is det	ermined by testing	in at least one approved	d application (e.g., v	western blot).		
Western Blot Bu	Buffer IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					5% w/v BSA, 1X		
Applications Key	,	W: Western Blotting IP: Immunoprecipitation IF-F: Immunofluorescence (Frozen) IF-IC: Immunofluorescence (Immunocytochemistry)						
Cross-Reactivity	Key	M: Mouse R: Rat						
Trademarks and	Patents	Cell Signaling Technolo	gy is a trademark o	of Cell Signaling Technolo	ogy, Inc.			
		All other trademarks ar more information.	e the property of th	neir respective owners. V	/isit cellsignal.com/	trademarks for		
Limited Uses Except as otherwise expressly agreed in a writing signed by a legally authorized representation the following terms apply to Products provided by CST, its affiliates or its distributors. Any C terms and conditions that are in addition to, or different from, those contained herein, unless eparately accepted in writing by a legally authorized representative of CST, are rejected and force or effect.						esentative of CST, . Any Customer's n, unless ted and are of no		

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.