#5354 store at -20C

EGF Receptor (L858R Mutant Specific) (43B2) Rabbit mAb (Biotinylated)



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W	Reactivity: H	Sensitivity: Endogenous	MW (kDa): 175	Source/Isotype: Rabbit IgG	UniProt ID: #P00533	Entrez-Gene Id: 1956	
Product Usage Information		Application Western Blotting			Dilution 1:1000		
Storage		Supplied in 140 mM NaCl, 3 mM KCI, 10 mM sodium phosphate (pH 7.4) dibasic, 2 mM potassium phosphate monobasic, 2 mg/mL BSA, and 50% glycerol. Store at –20°C. <i>Do not aliquot the antibody.</i>					
Specificity/Sen	sitivity	EGFR (L858R Mutant Specific) (43B2) Rabbit mAb (Biotinylated) detects endogenous levels of EGFR mutant L858R protein. The antibody may cross-react with wildtype EGFR and other HER family members when highly over-expressed. Careful titration of this antibody may be required to obtain optimal specificity.					
Source / Purific	cation	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to L858R mutant sequence of human EGF receptor.					
Description		This Cell Signaling Technology antibody is conjugated to biotin under optimal conditions. The biotinylated antibody is expected to exhibit the same species cross-reactivity as the unconjugated EGFR (L858R Mutant Specific) (43B2) Rabbit mAb #3197.					
Background		The epidermal growth factor (EGF) receptor is a 170 kDa transmembrane tyrosine kinase that belongs to the HER/ErbB protein family. Research studies have shown that somatic mutations in the tyrosine kinase domain of EGF receptor (EGFR) are present in a subset of lung adenocarcinomas that respond to EGFR inhibitors, such as gefitinib and erlotinib (1-3). Two types of mutations account for approximately 90% of mutated cases: a specific point mutation, L858R, that occurs in exon 21 and short in-frame deletions in exon 19 (4,5). The most frequent exon 19 deletion is E746-A750, accounting for 90% of lesions at this site, although some rare variants occur.					
Background Re	eferences	1. Lynch, T.J. et al. (2004) <i>N Engl J Med</i> 350, 2129-39. 2. Pao, W. et al. (2004) <i>Proc Natl Acad Sci USA</i> 101, 13306-11. 3. Haber, D.A. et al. (2005) <i>Cold Spring Harb Symp Quant Biol</i> 70, 419-26. 4. Kosaka, T. et al. (2004) <i>Cancer Res</i> 64, 8919-23. 5. Riely, G.J. et al. (2006) <i>Clin Cancer Res</i> 12, 7232-41.					
Species Reactiv	vity	Species reactivity is de	termined by testing	g in at least one approve	ed application (e.g.,	western blot).	
Western Blot B	Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					
Applications K	ey	W: Western Blotting					
Cross-Reactivit	су Кеу	H: Human					
Trademarks ar	d Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.					
		All other trademarks a more information.	re the property of t	heir respective owners.	Visit cellsignal.com	/trademarks for	
Limited Uses		the following terms ap terms and conditions	pply to Products pro that are in addition	writing signed by a leg wided by CST, its affiliate to, or different from, th authorized representat	es or its distributors ose contained herei	. Any Customer's n, unless	

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.