

FoxA1/HNF3α (D7P9B) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, ChIP, ChIP-seq	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 50	Source/Isotype: Rabbit IgG	UniProt ID: #P55317	Entrez-Gene Id: 3169
Product Usage Information		For optimal ChIP and ChIP-seq results, use 10 µl of antibody and 10 µg of chromatin (approximately 4 x 10 ⁶ cells) per IP. This antibody has been validated using SimpleChIP® Enzymatic Chromatin IP Kits.				
		Application		Dilution		
		Western Blotting			1:1000	
		Chromatin IP			1:50	
		Chromatin IP-seq			1:50	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		FoxA1/HNF3α (D7P9B) Rabbit mAb recognizes endogenous levels of total FoxA1/HNF3α protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Leu148 of human FoxA1/HNF3α protein.				
Background		Forkhead box protein A1 (FoxA1, HNF3α) is a transcription factor required for the development of endoderm-derived organs, such as liver, lung, and prostate (1). FoxA1 functions as a pioneer factor that is recruited primarily to the distant enhancers to change chromatin structure for transcription in a cell type-specific manner (2,3). The FoxA1 transcription factor is implicated in various diseases, playing a role in hormone-dependent disorders, such as breast and prostate cancers (4). The treatment of relapsing-remitting multiple sclerosis patients with IFN-β results in FoxA1-induced stimulation of a novel population of FoxA1(+) regulatory T cells, suggesting a possible immunosuppressive role for FoxA1 (5).				
Background References		 Friedman, J.R. and Kaestner, K.H. (2006) <i>Cell Mol Life Sci</i> 63, 2317-28. Lupien, M. et al. (2008) <i>Cell</i> 132, 958-70. Wang, A. et al. (2015) <i>Cell Stem Cell</i> 16, 386-99. Augello, M.A. et al. (2011) <i>EMBO J</i> 30, 3885-94. Liu, Y. et al. (2014) <i>Nat Med</i> 20, 272-82. 				
Consina Banatin				- : t l t		

Species Reactivity Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X

TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key W: Western Blotting ChIP: Chromatin IP ChIP-seq: Chromatin IP-seq

Cross-Reactivity Key H: Human M: Mouse R: Rat Mk: Monkey

Trademarks and Patents Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

SimpleChIP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

Limited Uses Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST,

the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no

force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.