#

Sox2 (D9B8N) Rabbit mAb (PE Conjugate)



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: FC-FP	Reactivity: H M	Sensitivity: Endogenous	Source/Isotype: Rabbit IgG	UniProt ID: #P48431	Entrez-Gene Id: 6657		
Product Usage Information			ermeabilized)		Dilution 1:50		
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.					
Specificity/Sensit	tivity	Sox2 (D9B8N) Rabbit mAb (PE Conjugate) recognizes endogenous levels of total Sox2 protein.					
Source / Purificat	tion	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ala188 of human Sox2 protein.					
Description		This Cell Signaling Technology antibody is conjugated to phycoerythrin (PE) and tested in-house for direct flow cytometry analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated Sox2 (D9B8N) Rabbit mAb #23064.					
Background		Embryonic stem cells (ESC) derived from the inner cell mass of the blastocyst are unique in their pluripotent capacity and potential for self-renewal (1). Research studies demonstrate that a set of transcription factors that includes Oct-4, Sox2, and Nanog forms a transcriptional network that maintains cells in a pluripotent state (2,3). Chromatin immunoprecipitation experiments show that Sox2 and Oct-4 bind to thousands of gene regulatory sites, many of which regulate cell pluripotency and early embryonic development (4,5). siRNA knockdown of either Sox2 or Oct-4 results in loss of pluripotency (6). Induced overexpression of Oct-4 and Sox2, along with additional transcription factors Klf4 and c-Myc, can reprogram both mouse and human somatic cells to a pluripotent state (7,8). Additional evidence demonstrates that Sox2 is also present in adult multipotent progenitors that give rise to some adult epithelial tissues, including several glands, the glandular stomach, testes, and cervix. Sox2 is thought to regulate target gene expression important for survival and regeneration of these tissues (9).					
Background References 1. Conley, B.J. et al. (2004) Int J Biochem Cell Biol 36, 555-67. 2. Pesce, M. and Schöler, H.R. (2001) Stem Cells 19, 271-8. 3. Pan, G. and Thomson, J.A. (2007) Cell Res 17, 42-9. 4. Boyer, L.A. et al. (2005) Cell 122, 947-56. 5. Loh, Y.H. et al. (2006) Nat Genet 38, 431-40. 6. Matin, M.M. et al. (2004) Stem Cells 22, 659-68. 7. Takahashi, K. and Yamanaka, S. (2006) Cell 126, 663-76. 8. Okita, K. et al. (2007) Nature 448, 313-7. 9. Arnold, K. et al. (2011) Cell Stem Cell 9, 317-29.							
Species Reactivit	у	Species reactivity is determined by testing in at least one approved application (e.g., western blot).					
Applications Key		FC-FP: Flow Cytometry (Fixed/Permeabilized)					
Cross-Reactivity	Key	H: Human M: Mouse					
Trademarks and	Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.					
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.					
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no					

force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.