0657 store at +4C HSP90 (C45G5) Rabbit mAb (PE Conjugate) **Cell Signaling** TECHNOLOGY® 877-616-CELL (2355) orders@cellsignal.com Orders: Support: Web: 3 Trask Lane | Danvers | Massachusetts | 01923 | USA For Research Use Only. Not for Use in Diagnostic Procedures.

877-678-TECH (8324)

info@cellsignal.com cellsignal.com

Applications: FC-FP	Reactivity: H M R Mk	Sensitivity: Endogenous	Source/Isotype: Rabbit IgG	UniProt ID: #P08238, #P07900	Entrez-Gene Id: 3326, 3320
Product Usage Information		Application Flow Cytometry (Fixed/Per	meabilized)		Dilution 1:50
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity		HSP90 (C45G5) Rabbit mAb (PE Conjugate) detects endogenous levels of total HSP90 protein. This antibody does not cross-react with other HSPs.			
Species predicted to react based on 100% sequence homology		Bovine			
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide surrounding Asn300 of human HSP90.			
Description		This Cell Signaling Technology antibody is conjugated to phycoerythrin (PE) and tested in-house for direct flow cytometry analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated HSP90 (C45G5) Rabbit mAb #4877.			
Background		HSP70 and HSP90 are molecular chaperones expressed constitutively under normal conditions to maintain protein homeostasis and are induced upon environmental stress (1). Both HSP70 and HSP90 are able to interact with unfolded proteins to prevent irreversible aggregation and catalyze the refolding of their substrates in an ATP- and co-chaperone-dependent manner (1). HSP70 has a broad range of substrates including newly synthesized and denatured proteins, while HSP90 tends to have a more limited subset of substrates, most of which are signaling molecules. HSP70 and HSP90 often function collaboratively in a multi-chaperone system, which requires a minimal set of co-chaperones: HSP40, Hop, and p23 (2,3). The co-chaperones either regulate the intrinsic ATPase activity of the chaperones or recruit chaperones to specific substrates or subcellular compartments (1,4). When the ubiquitin ligase CHIP associates with the HSP70/HSP90 complex as a cofactor, the unfolded substrates are subjected to degradation by the proteasome (4). The biological functions of HSP70/HSP90 extend beyond their chaperone activity. They are essential for the maturation and inactivation of nuclear hormones and other signaling molecules (1,3). They also play a role in vesicle formation and protein trafficking (2).			
Background References		1. Nollen, E.A. and Morimoto, R.I. (2002) <i>J. Cell Sci.</i> 115, 2809-2816. 2. Young, J.C. et al. (2003) <i>Trends Biochem. Sci.</i> 28, 541-547. 3. Pratt, W.B. and Toft, D.O. (2003) <i>Exp. Biol. Med.</i> 228, 111-133. 4. Hohfeld, J. et al. (2001) <i>EMBO Rep.</i> 2, 885-890.			
Species Reactivity		Species reactivity is determ	nined by testing in at l	east one approved appl	ication (e.g., western blot).
Applications Key		FC-FP: Flow Cytometry (Fixed/Permeabilized)			
Cross-Reactivity Key		H: Human M: Mouse R: Rat Mk: Monkey			
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.			
		XP is a registered tradema	rk of Cell Signaling Teo	chnology, Inc.	
		U.S. Patent No. 7,429,487,	foreign equivalents, a	nd child patents derivin	g therefrom.
		All other trademarks are th more information.	ne property of their re	spective owners. Visit ce	ellsignal.com/trademarks for

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.