#

## IL1RAP (E2G6A) Rabbit mAb



Orders:	877-616-CELL (2355) orders@cellsignal.com
Support:	877-678-TECH (8324)
Web:	info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	<b>Reactivity:</b> H	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 78	<b>Source/Isotype:</b> Rabbit IgG	UniProt ID: #Q9NPH3	Entrez-Gene Id: 3556	
Product Usage Information		<b>Application</b> Western Blotting Immunoprecipitation			<b>Dilution</b> 1:1000 1:50		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
Specificity/Sen	sitivity	IL1RAP (E2G6A) Rabbit mAb recognizes endogenous levels of total IL1RAP protein.					
Species predict based on 100% homology		Dog, Horse					
Source / Purific	ation	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues near the carboxy terminus of human IL1RAP protein.					
Background		Interleukin-1 receptor accessory protein (IL1RAP/IL1R3) is a type-I transmembrane glycoprotein and component of the IL-1 and IL-33 receptor signaling complexes (1,2). Research studies have demonstrated that IL1RAP expression is required for IL-1-mediated signaling through its ability to recruit IRAK to the IL-1R complex (3-7). In the context of human disease, research studies have shown that IL1RAP is overexpressed on the surface of AML stem cells and associates with c-KIT and FLT3 to mediate pro-proliferative and pro-survival signaling events downstream of these oncogenic receptor tyrosine kinases (8,9). As such, IL1RAP has emerged as a novel immuno-therapeutic target for AML and other malignancies of the myeloid compartment (10,11).					
Background Re	ferences	<ol> <li>Greenfeder, S.A. et al. (1995) <i>J Biol Chem</i> 270, 13757-65.</li> <li>Chackerian, A.A. et al. (2007) <i>J Immunol</i> 179, 2551-5.</li> <li>Radons, J. et al. (2002) <i>J Biol Chem</i> 277, 16456-63.</li> <li>Huang, J. et al. (1997) <i>Proc Natl Acad Sci U S A</i> 94, 12829-32.</li> <li>Wesche, H. et al. (1997) <i>J Biol Chem</i> 272, 7727-31.</li> <li>Gould, L. et al. (1979) <i>J Clin Pharmacol</i> 19, 46-55.</li> <li>Volpe, F. et al. (1997) <i>FEBS Lett</i> 419, 41-4.</li> <li>Mitchell, K. et al. (2018) <i>J Exp Med</i> 215, 1709-27.</li> <li>Barreyro, L. et al. (2013) <i>Blood</i> 120, 1290-8.</li> <li>Askmyr, M. et al. (2013) <i>Blood</i> 121, 3709-13.</li> <li>Ågerstam, H. et al. (2015) <i>Proc Natl Acad Sci U S A</i> 112, 10786-91.</li> </ol>					
Species Reactiv	vity	Species reactivity is det	termined by testing	g in at least one approve	d application (e.g.,	western blot).	
Western Blot B	uffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					
Applications Ke	ey	W: Western Blotting IP: Immunoprecipitation					
Cross-Reactivit	у Кеу	H: Human					
Trademarks an	d Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.					
		XP is a registered trademark of Cell Signaling Technology, Inc.					
		KARPAS cell line source	e: Dr. Abraham Kar	oas at the University of C	ambridge.		

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

## **Limited Uses**

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com For Research Use Only. Not for Use in Diagnostic Procedures.