

## IFN-β1 (D1D7G) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W	Reactivity: H	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 19, 21	<b>Source/Isotype:</b> Rabbit IgG	UniProt ID: #P01574	Entrez-Gene Id 3456
Product Usage Information		<b>Application</b> Western Blotting			<b>Dilution</b> 1:1000	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		IFN- $\beta$ 1 (D1D7G) Rabbit mAb recognizes endogenous levels of total IFN- $\beta$ 1 protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with recombinant human IFN- $\beta 1$ protein.				
Background		The type I interferon (IFN) family includes IFN- $\beta$ 1 and IFN- $\alpha$ 1 through IFN- $\alpha$ 13 in humans and IFN- $\alpha$ 1 through IFN- $\alpha$ 14 in mice. Type I IFN is produced following detection of pathogen-associated molecular patterns (PAMPs) and is important for induction of antiviral genes, activation of dendritic cells, and initiation of adaptive immunity (1, 2). Type I IFNs signal through the IFN alpha receptor (IFNAR), which is a heterodimer composed of IFNAR1 and IFNAR2. Activation of IFNAR leads to formation of the nuclear complex IFN-stimulated gene factor 3 (ISGF3), which consists of STAT1, STAT2, and IRF-9 (3, 4). ISGF3 binds to IFN-stimulated response elements (ISREs) to initiate transcription of interferon-stimulated genes (3).				
Background References		1. Paludan, S.R. and Bowie, A.G. (2013) <i>Immunity</i> 38, 870-80. 2. Ivashkiv, L.B. and Donlin, L.T. (2014) <i>Nat Rev Immunol</i> 14, 36-49. 3. Levy, D.E. et al. (1989) <i>Genes Dev</i> 3, 1362-71. 4. Qureshi, S.A. et al. (1995) <i>Proc Natl Acad Sci U S A</i> 92, 3829-33.				
Species Reacti	vity	Species reactivity is de	etermined by testin	g in at least one approv	ed application (e.g.,	western blot).
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				
Applications Key		W: Western Blotting				
Cross-Reactivity Key		<b>H:</b> Human				
Trademarks ar	nd Patents	Cell Signaling Technol	ogy is a trademark	of Cell Signaling Techno	ology, Inc.	
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.				
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.				
		approved, cleared, or purpose. Customer sh any manner that conf Customer as the end-	licensed by the FDA nall not use any Pro licts with its labelin user and solely for	se Only or a similar labe or other regulatory for duct for any diagnostic g statement. Products so research and developme	reign or domestic er or therapeutic purp old or licensed by C ent uses. Any use of	ntity, for any ose, or otherwise in ST are provided for f Product for

diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any

commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.