Revision 5		
β-Tubulin (9F3) Rabbit mAb (Alexa Fluor [®] 594 Conjugate)		g
Store	Orders: 877-616-CELL (235 orders@cellsignal.com	
	Support: 877-678-TECH (832-	:4)
 <i>‡</i> 7634	Web: info@cellsignal.co cellsignal.co	m
#	3 Trask Lane Danvers Massachusetts 01923 US	SA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: IF-IC	Reactivity: H M R Mk Z B	Sensitivity: Endogenous	Source/Isotype: Rabbit IgG	UniProt ID: #P07437	Entrez-Gene Id: 203068
Product Usage Information		Application Immunofluorescence (Immunocytochemistry)		Dilution 1:50	
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensit	ivity	β-Tubulin (9F3) Rabbit mAb (Alexa Fluor [®] 594 Conjugate) detects endogenous levels of total β-tubulin protein and does not cross-react with recombinant α-tubulin.			
Species predicted based on 100% se homology		Chicken			
Source / Purificat	ion	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to the amino terminus of human β-tubulin protein.			
Description		This Cell Signaling Technology antibody is conjugated to Alexa Fluor [®] 594 fluorescent dye and tested in-house for direct immunofluorescent analysis in mouse cells. The antibody is expected to exhibit the same species cross-reactivity as the unconjugated β-Tubulin (9F3) Rabbit mAb #2128.			
Background		The cytoskeleton consists of three types of cytosolic fibers: microtubules, microfilaments (actin filaments), and intermediate filaments. Globular tubulin subunits comprise the microtubule building block, with α/β -tubulin heterodimers forming the tubulin subunit common to all eukaryotic cells. γ -tubulin is required to nucleate polymerization of tubulin subunits to form microtubule polymers. Many cell movements are mediated by microtubule action, including the beating of cilia and flagella, cytoplasmic transport of membrane vesicles, chromosome alignment during meiosis/mitosis, and nerve-cell axon migration. These movements result from competitive microtubule polymerization and depolymerization or through the actions of microtubule motor proteins (1).			
Background Refe	rences	1. Westermann, S. and Weber, K. (2003) Nat Rev Mol Cell Biol 4, 938-47.			
Species Reactivity	у	Species reactivity is dete	rmined by testing in at le	ast one approved ap	plication (e.g., western blot).
Applications Key		IF-IC: Immunofluorescence (Immunocytochemistry)			
Cross-Reactivity I	Key	H: Human M: Mouse R: Rat Mk: Monkey Z: Zebrafish B: Bovine			
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.			
		transfer of this product i conducted by the buyer, must not (1) use this pro purposes; (b) testing, an per-test basis; or (c) man this product or its compo purchasing a license to t Technologies Corporatio	s conditioned on the buy excluding contract resear duct or its components for alysis or screening service ufacturing or quality assi onents for resale, whethe his product for purposes n, 5791 Van Allen Way, Ca	er using the purchas rch or any fee for ser or (a) diagnostic, the es, or information in urance or quality cor r or not resold for us other than as descri arlsbad, CA 92008 US	return for compensation on a htrol, and/or (2) sell or transfer se in research. For information on bed above, contact Life SA or outlicensing@lifetech.com.
		All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.			
Limited Uses		Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless			

separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purpose, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com For Research Use Only. Not for Use in Diagnostic Procedures.