

**DOT1L (D1W4Z) Rabbit mAb**

**Orders:** 877-616-CELL (2355)  
orders@cellsignal.com

**Support:** 877-678-TECH (8324)

**Web:** info@cellsignal.com  
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> W, IP, ChIP, C&R, C&T	<b>Reactivity:</b> H Mk	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 185	<b>Source/Isotype:</b> Rabbit IgG	<b>UniProt ID:</b> #Q8TEK3	<b>Entrez-Gene Id:</b> 84444
--	----------------------------	-----------------------------------	-------------------------	--------------------------------------	-------------------------------	---------------------------------

**Product Usage Information**

For optimal ChIP and ChIP-seq results, use 10 µl of antibody and 10 µg of chromatin (approximately 4 x 10<sup>6</sup> cells) per IP. This antibody has been validated using SimpleChIP<sup>®</sup> Enzymatic Chromatin IP Kits.

The CUT&RUN dilution was determined using CUT&RUN Assay Kit #86652.

The CUT&Tag dilution was determined using CUT&Tag Assay Kit #77552.

Application	Dilution
Western Blotting	1:1000
Immunoprecipitation	1:200
Chromatin IP	1:50
CUT&RUN	1:50
CUT&Tag	1:50

**Storage**

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

**Specificity/Sensitivity**

DOT1L (D1W4Z) Rabbit mAb recognizes endogenous levels of total DOT1L protein.

**Source / Purification**

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Pro459 of human DOT1L protein.

**Background**

DOT1-like protein (DOT1L), also known as Lysine N-methyltransferase 4 (KMT4), is a histone methyltransferase that functions to mono-, di-, and tri-methylate histone H3 on lysine 79, a histone modification that is associated with active transcription and plays a role in DNA damage response, cell cycle regulation, and embryonic stem cell development (1). DOT1L is required for the initiation and maintenance of mixed lineage leukemia (MLL)-rearranged leukemias, and selective DOT1L inhibitors such as EP2-5676 show remarkable anti-tumor effects in MLL-rearranged leukemias (2,3). Multiple studies have also implicated DOT1L in solid tumor cancers such as breast cancer, where DOT1L induces neoplastic transformation of immortalized breast cancer cells and promotes tumor initiation and growth. Overexpression of DOT1L is associated with poor prognosis in breast cancer, and selective DOT1L inhibitors are able to suppress proliferation and migration of breast cancer cells (4-6).

**Background References**

- Kim, W. et al. (2012) *J Biol Chem* 287, 5588-99.
- Okuda, H. et al. (2017) *J Clin Invest* 127, 1918-1931.
- McLean, C.M. et al. (2014) *Leukemia* 28, 2131-8.
- Lee, J.Y. and Kong, G. (2015) *Oncotarget* 6, 30451-2.
- Zhang, L. et al. (2014) *Oncotarget* 5, 10665-77.
- Cho, M.H. et al. (2015) *Nat Commun* 6, 7821.

**Species Reactivity**

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer**

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween@ 20 at 4°C with gentle shaking, overnight.

**Applications Key**

**W:** Western Blotting **IP:** Immunoprecipitation **ChIP:** Chromatin IP **C&R:** CUT&RUN **C&T:** CUT&Tag

**Cross-Reactivity Key**

**H:** Human **Mk:** Monkey

**Trademarks and Patents**

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.  
SimpleChIP is a registered trademark of Cell Signaling Technology, Inc.  
XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information.

## Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

**Orders: 877-616-CELL (2355) • [orders@cellsignal.com](mailto:orders@cellsignal.com) • Support: 877-678-TECH (8324) • [info@cellsignal.com](mailto:info@cellsignal.com) • Web: [cellsignal.com](http://cellsignal.com)**  
For Research Use Only. Not for Use in Diagnostic Procedures.