

## HLA-G (E8N9C) XP® Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

## For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> W, IHC-P	Reactivity: H	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 30-40	<b>Source/Isotype:</b> Rabbit IgG	UniProt ID: #P17693	Entrez-Gene Id: 3135
Product Usage Information		Application Dilution				
		Western Blotting			1:1000	
		Immunohistochemist	try (Paraffin)		1:100 - 1:	400
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
		For a carrier free (BSA and azide free) version of this product see product #49508.				
Specificity/Sensitivity		HLA-G (E8N9C) Rabbit mAb recognizes endogenous levels of total HLA-G protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Leu102 of human HLA-G protein.				
Background		HLA-G (HLA-G histocompatibility antigen, class I, G) is a non-classical MHC molecule expressed by trophoblasts in placenta, thymic epithelial cells, and some tumors. Alternative splicing leads to generation of at least six isoforms, four that are transmembrane proteins and two that are soluble (1-4). It is an inhibitory molecule involved in immune tolerance and escape, originally studied for its role in maternal tolerance of the fetus during pregnancy (1-5). HLA-G binds ILT2, ILT4, and KIR2DL4, playing a role in the regulation of natural killer, T, and monocyte/macrophage cells (4-5). Its involvement in evasion of immune response makes it a potential target for immunotherapy (6).				
Background References		<ol> <li>Kovats, S. et al. (1990) Science 248, 220-3.</li> <li>Pazmany, L. et al. (1996) Science 274, 792-5.</li> <li>Fujii, T. et al. (1994) J Immunol 153, 5516-24.</li> <li>Shiroishi, M. et al. (2003) Proc Natl Acad Sci U S A 100, 8856-61.</li> <li>LeMaoult, J. et al. (2005) FASEB J 19, 662-4.</li> <li>Curigliano, G. et al. (2013) Clin Cancer Res 19, 5564-71.</li> </ol>				
Species Reactivity		Species reactivity is d	etermined by testin	g in at least one approve	ed application (e.g.,	western blot).

Western Blot Buffer IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X

TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

**Applications Key** W: Western Blotting IHC-P: Immunohistochemistry (Paraffin)

Cross-Reactivity Key H: Human

**Trademarks and Patents** Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

SignalStain is a registered trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for

more information.

**Limited Uses** Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST,

the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no

force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.