

#8126 Store at -20C

CDC73 (D38E12) Rabbit mAb



Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

| Applications: | Reactivity: | Sensitivity: | MW (kDa): | Source/Isotype: | UniProt ID: | Entrez-Gene ID: |
|---------------|-------------|--------------|-----------|-----------------|-------------|-----------------|
| W, IP | H R Mk | Endogenous | 60 | Rabbit IgG | #Q6P1J9 | 79577 |

Product Usage Information

Application

Western Blotting
Immunoprecipitation

Dilution

1:1000
1:200

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

Specificity/Sensitivity

CDC73 (D38E12) Rabbit mAb recognizes endogenous levels of total CDC73 protein.

Species predicted to react based on 100% sequence homology

Mouse

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Arg407 of human CDC73 protein.

Background

CDC73 (HPRT2) is a putative tumor suppressor protein thought to bind RNA polymerase II to help inhibit cell cycle progression (1,2). Commonly referred to as parafibromin, CDC73 is expressed in endocrine tissues, kidney, heart, and skeletal muscle and is localized to both nuclear and cytoplasmic compartments (3). CDC73 acts as a Wnt signaling regulator as it binds the carboxy-terminal region of β -catenin (4). Mutations in the corresponding gene cause an endocrine disorder known as hyperparathyroidism 2, which is characterized by hypercalcemia, bone resorption, and the development of jaw tumors (5).

Background References

1. Rozenblatt-Rosen, O. et al. (2005) *Mol Cell Biol* 25, 612-20.
2. Shi, X. et al. (1997) *Mol Cell Biol* 17, 1160-9.
3. Woodard, G.E. et al. (2005) *Oncogene* 24, 1272-6.
4. Mosimann, C. et al. (2006) *Cell* 125, 327-41.
5. Bradley, K.J. et al. (2006) *Clin Endocrinol (Oxf)* 64, 299-306.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

W: Western Blotting **IP:** Immunoprecipitation

Cross-Reactivity Key

H: Human **R:** Rat **Mk:** Monkey

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for

diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.

Orders: 877-616-CELL (2355) • orders@cellsignal.com • Support: 877-678-TECH (8324) • info@cellsignal.com • Web: cellsignal.com
For Research Use Only. Not for Use in Diagnostic Procedures.