

## MW (kDa): **Applications:** Reactivity: Sensitivity: Source/Isotype: UniProt ID: Entrez-Gene Id: W, IP, IHC-P, IF-IC, H Mk Endogenous 300 Rabbit IgG #Q09472 2033 C&R, C&T Product Usage The CUT&RUN dilution was determined using CUT&RUN Assay Kit #86652. Information The CUT&Tag dilution was determined using CUT&Tag Assay Kit #77552. Application Dilution 1:1000 Western Blotting Immunoprecipitation 1:50 Immunohistochemistry (Paraffin) 1:500 - 1:2000 Immunofluorescence (Immunocytochemistry) 1:400 - 1:1600 CUT&RUN 1:50 CUT&Tag 1:50 Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than Storage 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody. For a carrier free (BSA and azide free) version of this product see product #18396. Specificity/Sensitivity p300 (D8Z4E) Rabbit mAb recognizes endogenous levels of total p300 protein. This antibody does not cross-react with CBP protein. Species predicted to react Guinea Pig based on 100% sequence homology Source / Purification Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues near the carboxy terminus of human p300 protein. Background CBP (CREB-binding protein) and p300 are highly conserved and functionally related transcriptional coactivators that associate with transcriptional regulators and signaling molecules, integrating multiple signal transduction pathways with the transcriptional machinery (1,2). CBP/p300 also contain histone acetyltransferase (HAT) activity, allowing them to acetylate histones and other proteins (2). Phosphorylation of p300 at Ser89 by PKC represses its transcriptional activity, and phosphorylation at the same site by AMPK disrupts the association of p300 with nuclear receptors (3,4). Ser1834 phosphorylation of p300 by Akt disrupts its association with C/EBPB (5). Growth factors induce phosphorylation of CBP at Ser437, which is required for CBP recruitment to the transcription complex (6). CaM kinase IV phosphorylates CBP at Ser302, which is required for CBP-dependent transcriptional activation in the CNS (7). The role of acetylation of CBP/p300 is of particular interest (2,8). Acetylation of p300 at Lys1499 has been demonstrated to enhance its HAT activity and affect a wide variety of signaling events (9). **Background References** 1. Goodman, R.H. and Smolik, S. (2000) Genes Dev 14, 1553-77. 2. Chan, H.M. and La Thangue, N.B. (2001) J. Cell Sci. 114, 2363-2373. 3. Yuan, L.W. and Gambee, J.E. (2000) J. Biol. Chem. 275, 40946-40951. 4. Yang, W. et al. (2001) J. Biol. Chem. 276, 38341-38344. 5. Guo, S. et al. (2001) J. Biol. Chem. 276, 8516-8523. 6. Zanger, K. et al. (2001) Mol. Cell 7, 551-558. 7. Impey, S. et al. (2002) Neuron 34, 235-244. 8. Yuan, L.W. and Giordano, A. (2002) Oncogene 21, 2253-2260. 9. Thompson, P.R. et al. (2004) Nat. Struct. Mol. Biol. 11, 308-315.

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.
Applications Key	<b>W:</b> Western Blotting <b>IP:</b> Immunoprecipitation <b>IHC-P:</b> Immunohistochemistry (Paraffin) <b>IF-IC:</b> Immunofluorescence (Immunocytochemistry) <b>C&amp;R:</b> CUT&RUN <b>C&amp;T:</b> CUT&Tag
Cross-Reactivity Key	H: Human Mk: Monkey
Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
	SignalStain is a registered trademark of Cell Signaling Technology, Inc.
	XP is a registered trademark of Cell Signaling Technology, Inc.
	All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.
Limited Uses	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.
	Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purpose, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.