-20C

Store at

88639

#

-



For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, IP	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 135	Source/Isotype: Rabbit IgG	UniProt ID: #Q01974	Entrez-Gene Id: 4920
Product Usage Information	2	Application Western Blotting Immunoprecipitation			Dilution 1:1000 1:100	
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity/Sensitivity		ROR2 (D3B6F) Rabbit mAb recognizes endogenous levels of total ROR2 protein.				
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Arg518 of human ROR2 protein.				
Background		ROR1 and ROR2 are orphan receptor tyrosine kinases that are most closely related to MuSK and the Trk family of neurotrophin receptors. They are characterized by the presence of extracellular frizzled-like cysteine-rich domains and membrane-proximal kringle domains, both of which are assumed to mediate protein-protein interactions (1-3). The ROR family RTKs are evolutionarily conserved among <i>Caenorhabditis elegans, Drosophila</i> , mice, and humans (1,4). Although the functions of ROR kinases are unknown, similarities between ROR and MuSK and Trk kinases have led to speculation that ROR kinases regulate synaptic development. CAM-1, a <i>C. elegans</i> ortholog of the ROR family RTKs, plays several important roles in regulating cellular migration, polarity of asymmetric cell divisions, and axonal outgrowth of neurons during nematode development (4). mROR1 and mROR2 may play differential roles during the development of the nervous system (5).				
Background Ro	eferences	1. Al-Shawi, R. et al. (20 2. Nomi, M. et al. (200 3. Roszmusz, E. et al. (4. Forrester, W.C. et al. 5. Oishi, I. et al. (1999)	1) <i>Mol Cell Biol</i> 21, 2001) <i>J Biol Chem</i> 2 (1999) <i>Nature</i> 400,	8329-35. 76, 18485-90. 881-5.		
Species Reactivity		Species reactivity is determined by testing in at least one approved application (e.g., western blot).				
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				
Applications Key		W: Western Blotting IP: Immunoprecipitation				
Cross-Reactivit	ty Key	H: Human M: Mouse F	R: Rat			
Trademarks ar	nd Patents	Cell Signaling Technol	ogy is a trademark	of Cell Signaling Techno	logy, Inc.	
		XP is a registered trade	emark of Cell Signa	ling Technology, Inc.		
		All other trademarks a more information.	re the property of	their respective owners.	Visit cellsignal.com	/trademarks for
Limited Uses		the following terms ap terms and conditions t	pply to Products pro that are in addition	a writing signed by a leg ovided by CST, its affiliat to, or different from, th y authorized representa	es or its distributors ose contained here	s. Any Customer's in, unless
				se Only or a similar labe or other regulatory for		

purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.