Caspase-3 Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W, W-S, IP, IHC-P	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 17, 19, 35	Source/Isotype: Rabbit	UniProt ID: #P42574	Entrez-Gene Id: 836	
Product Usage Information		ApplicationDilutionWestern Blotting1:1000Simple Western™1:10 - 1:50Immunoprecipitation1:50Immunohistochemistry (Paraffin)1:1000					
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.					
Specificity/Sensitivity		Caspase-3 Antibody detects endogenous levels of full length caspase-3 (35 kDa) and the large fragment of caspase-3 resulting from cleavage (17 kDa).					
Species predicted to react based on 100% sequence homology		Pig					
Source / Purification		Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding the cleavage site of human caspase-3. Antibodies are purified by protein A and peptide affinity chromatography.					
Background		Caspase-3 (CPP-32, Apopain, Yama, SCA-1) is a critical executioner of apoptosis, as it is either partially or totally responsible for the proteolytic cleavage of many key proteins, such as the nuclear enzyme poly (ADP-ribose) polymerase (PARP) (1). Activation of caspase-3 requires proteolytic processing of its inactive zymogen into activated p17 and p12 fragments. Cleavage of caspase-3 requires the aspartic acid residue at the P1 position (2).					
Background Re	eferences	1. Fernandes-Alnemri, T. et al. (1994) <i>J Biol Chem</i> 269, 30761-4. 2. Nicholson, D.W. et al. (1995) <i>Nature</i> 376, 37-43.					
Species Reactivity		Species reactivity is determined by testing in at least one approved application (e.g., western blot).					
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					
Applications Key		W: Western Blotting W-S: Simple Western [™] IP: Immunoprecipitation IHC-P: Immunohistochemistry (Paraffin)					
Cross-Reactivity Key		H: Human M: Mouse R: Rat Mk: Monkey					
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.					
		All other trademarks a more information.	re the property of t	heir respective owners.	Visit cellsignal.com	/trademarks for	
Limited Uses		the following terms ap terms and conditions t	ept as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's and conditions that are in addition to, or different from, those contained herein, unless arately accepted in writing by a legally authorized representative of CST, are rejected and are of no e or effect.				

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in

any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.