FLT3 (BV10A4H2) Mouse mAb (Alexa Fluor[®] 700 Conjugate)



Orders:877-616-CELL (2355)
orders@cellsignal.comSupport:877-678-TECH (8324)Web:info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: FC-L	Reactivity: H	Sensitivity: Endogenous	Source/Isotype: Mouse IgG1	UniProt ID: #P36888	Entrez-Gene Id: 2322
Product Usage Information		Application Flow Cytometry (Live)			Dilution 1:50
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.			
Specificity/Sensitivity		FLT3 (BV10A4H2) Mouse mAb (Alexa Fluor [®] 700 Conjugate) recognizes endogenous levels of total FLT3 protein.			
Source / Purification		BV10A4H2 clone is produced by immunizing animals with the leukemic cell line BV-173 and Antibody is purified from tissue culture supernatant via protein G chromatography.			
Description		This Cell Signaling Technology antibody is conjugated to Alexa Fluor [®] 700 fluorescent dye and tested in-house for direct flow cytometric analysis in human cells. This antibody is expected to exhibit the same species cross-reactivity as the unconjugated FLT3 (BV10A4H2) Mouse mAb #89334.			
Background		FMS-related tyrosine kinase 3 (FLT3, also called FLK2) is a member of the Type III receptor tyrosine kinase family, which includes c-Kit, PDGFR, and M-CSF receptors. FLT3 is expressed on early hematopoietic progenitor cells and supports growth and differentiation within the hematopoietic system (1,2). FLT3 is activated after binding with its ligand FL, which results in a cascade of tyrosine autophosphorylation and tyrosine phosphorylation of downstream substrates (3). The p85 subunit of PI3 kinase, SHP2, GRB2, and Shc have all been reported to associate with FLT3 after FL stimulation (4-6). Tyr589/591 is located in the juxtamembrane region of FLT3 and may play an important role in regulation of FLT3 tyrosine kinase activity. Somatic mutations of FLT3 consisting of internal tandem duplications (ITDs) occur in 20% of patients with acute myeloid leukemia (7).			
Background References		 Shurin, M.R. et al. (1998) <i>Cytokine Growth Factor Rev</i> 9, 37-48. Naoe, T. et al. (2001) <i>Cancer Chemother Pharmacol</i> 48 Suppl 1, S27-30. Namikawa, R. et al. (1996) <i>Stem Cells</i> 14, 388-95. Beslu, N. et al. (1996) <i>J Biol Chem</i> 271, 20075-81. Zhang, S. and Broxmeyer, H.E. (2000) <i>Biochem Biophys Res Commun</i> 277, 195-9. Zhang, S. et al. (1999) <i>J Leukoc Biol</i> 65, 372-80. Mizuki, M. et al. (2000) <i>Blood</i> 96, 3907-14. 			
Species Reactivity		Species reactivity is determined by testing in at least one approved application (e.g., western blot).			
Applications Key		FC-L: Flow Cytometry (Live)			
Cross-Reactivity Key		H: Human			
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.			
		transfer of this product is conducted by the buyer, of must not (1) use this prod purposes; (b) testing, and per-test basis; or (c) man this product or its compo- purchasing a license to th Technologies Corporation All other trademarks are	s conditioned on the buy excluding contract resear duct or its components fo alysis or screening service ufacturing or quality assu- nents for resale, whether his product for purposes h, 5791 Van Allen Way, Ca	er using the purchas ch or any fee for ser r (a) diagnostic, the rs, or information in rrance or quality cor r or not resold for us other than as descri rlsbad, CA 92008 US	return for compensation on a htrol, and/or (2) sell or transfer se in research. For information on
		more information.			

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.