Cleaved Caspase-6 (Asp162) Antibody





Orders:	877-616-CELL (2355) orders@cellsignal.com			
Support:	877-678-TECH (8324)			
Web:	info@cellsignal.com cellsignal.com			

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: W	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 18	Source/Isotype: Rabbit	UniProt ID: #P55212	Entrez-Gene Id: 839		
Product Usage Information		Application Western Blotting			Dilution 1:1000			
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA and 50% glycerol. Store 20°C. Do not aliquot the antibody.				ycerol. Store at –		
Specificity/Sensitivity		Cleaved Caspase-6 (Asp162) Antibody detects endogenous levels of the large subunit of active caspase- 6 resulting from cleavage at Asp179 in human or Asp162 in mouse and rat (18 kDa). This antibody does not recognize other cleaved caspases.						
Source / Purification		Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to the carboxy-terminal sequence of p18, the large subunit of rat caspase-6. Antibodies are purified by protein A and peptide affinity chromatography.						
BackgroundCaspase-6 (Mch2) is one of the major executioner caspases functioning in cellular apop (1,2). Upon apoptotic stimulation, initiator caspases such as caspase-9 are cleaved and The activated upstream caspases further process downstream executioner caspases, s and caspase-6, by cleaving them into large and small subunits, thereby initiating a casp leading to apoptosis (4,5). One of the major targets for caspase-6 is the membrane ass lamin A (6). The cleavage of this protein causes cell membrane malfunction, membrane eventual cell death.				nd activated (3). 5, such as caspase-3 aspase cascade associated protein				
Background References		1. Cohen, G.M. (1997) <i>Biochem J</i> 326 (Pt 1), 1-16. 2. Faleiro, L. et al. (1997) <i>EMBO J</i> 16, 2271-81. 3. Li, P. et al. (1997) <i>Cell</i> 91, 479-89. 4. Slee, E.A. et al. (1999) <i>J Cell Biol</i> 144, 281-92. 5. MacFarlane, M. et al. (1997) <i>J Cell Biol</i> 137, 469-79. 6. Orth, K. et al. (1996) <i>J Biol Chem</i> 271, 16443-6.						
Species Reactiv	vity	Species reactivity is de	etermined by testing	g in at least one approve	ed application (e.g.,	western blot).		
Western Blot B	Buffer	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.				n 5% w/v nonfat		
Applications K	ey	W: Western Blotting						
Cross-Reactivit	су Кеу	H: Human M: Mouse R: Rat						
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.						
		All other trademarks a more information.	are the property of t	their respective owners.	Visit cellsignal.com	/trademarks for		
Limited Uses	imited Uses Except as otherwise expressly agreed in a writing signed by a legally authorized represent the following terms apply to Products provided by CST, its affiliates or its distributors. Any terms and conditions that are in addition to, or different from, those contained herein, un separately accepted in writing by a legally authorized representative of CST, are rejected a force or effect.					s. Any Customer's in, unless		
		Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in						

any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products on services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.